Time Complexity Bounds for Shared-memory Mutual Exclusion

by
Yong-Jik Kim

A dissertation submitted to the faculty of the University of North Carolina at Chapel Hill in partial fulfillment of the requirements for the degree of Doctor of Philosophy in the Department of Computer Science.

Chapel Hill
2003

Approved by:

James H. Anderson, Advisor

Sanjoy K. Baruah, Reader

Jan F. Prins, Reader

Michael Merritt, Reader

Lars S. Nyland, Reader

Jack Snoeyink, Reader

ACKNOWLEDGMENTS

First, I want to thank my advisor, Jim Anderson, for his support and enthusiasm. I have learned an enormous amount from working with him, and this dissertation would not have been possible without his far-reaching insight and constant encouragement.

I also want to thank Michael Merritt, who took the trouble of reading this large dissertation and flying to attend my defense. Thanks, too, to the rest of my committee: Jan Prins, Jack Snoeyink, Sanjoy Baruah, and Lars Nyland. I greatly appreciate their willingness to bend their schedules to accommodate countless meetings and exams, and also their support and encouragement throughout the process. I would also like to thank Guido Gerig, my ex-advisor, and people in the medical imaging group, for being supportive and friendly throughout my stay at UNC.

In addition, I would like to thank people in the distributed algorithms research community for lively discussions and reviewing earlier versions of the results presented in this dissertation. I cannot hope to recall everyone who should be mentioned, but the list would surely include the following people: Hagit Attiya, Faith Fich, Maurice Herlihy, Leslie Lamport, Victor Luchangco, Maged Michael, Mark Moir, Eric Ruppert, Jennifer Welch, and many others.

Many thanks to Anand Srinivasan, Phil Holman, and Shelby Funk, for their friendship and their help in term projects, writing papers, and other things. Lucia Cevidanes, I enjoyed working with you; I hope you will find a better matlab programmer who can decipher my code!

Special thanks to the Korean friends who made my stay in Chapel Hill a lot more homelike: Juhyun, Sungeui, Joohee (of the math department), Joohi, Sang-Uok and Hye-Chung, In-Kyung, Hyemi Choi, Kuan-Hui Lee, and (of course) many, many others.

No words will be enough to thank my family for their love and support. Thank you, Mom and Dad, Namhee, Heeyeon, and Yonggon. I love all of you.

Finally, I would like to thank Eunjung, my lovely wife. Throughout the years we have been together, she has always been kind, understanding, and inspiring. Without her, I would have missed much of what life is.

LIST OF TABLES

1.1 Contributions of this dissertation: lower and upper bounds for various classes of mutual exclusion algorithms. 8

2.1 Comparison of known adaptive algorithms. 31

4.1 Comparison of known adaptive algorithms, extended. 60

for nonatomic mutual exclusion, which precludes the possibility of a fast or adaptive nonatomic algorithm. (See Section 1.4.)