Bibliography

Barrett, H. H. and Gmitro, A. F. (eds): 1993, *Information Processing in Medical Imaging (IPMI'93)*, number 687 in *Lecture Notes in Computer Science*, Springer-Verlag.

Baxter, L. and Coggins, J.: 1990, Supervised pixel classification using a feature space derived from an artificial visual system, *Proceedings of SPIE Conference on Intellegent Robots and Computer Vision IX*, SPIE, pp. 459–469.

Beck, J.: 1966, Perceptual grouping produced by changes in orientation and shape, *Science* **154**, 538–540.

Beck, J.: 1972, Similarity grouping and peripheral discriminability under uncertainty, *American Journal of Psychology* **85**(1), 1–19.

Beck, J.: 1982, Textural segmentation, *in* J. Beck (ed.), *Organization and representation in perception*, Lawrence Erlbaum Associates, Hillsdale, NJ, pp. 285–317.

Blom, J.: 1992, *Topological and Geometrical Aspects of Image Structure*, PhD thesis, University of Utrecht.

Blum, H. and Nagel, R. N.: 1978, Shape description using weighted symmetric axis features, *Pattern Recognition* **10**, 167–180.

Brechbühler, C., Gerig, G. and Kübler, O.: 1992, Towards representation of 3d shape: Global surface parametrization, *in* C. Arcelli, L. P. Cordella and G. Sanniti di Baya (eds), *Visual Form: Analysis and Recognition*, Plenum Press, New York and London, pp. 79–88.

Canny, J.: 1983, Finding edges and lines in images, *Technical Report 720*, MIT, Articficial Intellegence Laboratory.

Canny, J.: 1987, A computational approach to edge detection, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **8**(6), 679–698.

Catte, F., Coll, T., Lions, P. L. and Morel, J. M.: 1990, Image selective smoothing and edge detection by nonlinear diffusion, *Technical Report 9044*, Ceremate, Universite Paris-Dauphine, Place de Lattre de Tassigny 75775 Paris cedex 16 , France.

Coggins, J. and Jain, A.: 1985, A spatial filtering approach to texture analysis, *Pattern Recognition Letters* **3**, 195–203.

Colchester, A. and Hawkes, D. (eds): 1991, *Information Processing in Medical Imaging (IPMI'91)*, number 511 in *Lecture Notes in Computer Science*, Springer-Verlag.

Cooper, N. G. and West, G. B.: 1988, *Scale and Dimension*, Cambridge University Press, pp. 4–21.

Duda, R. O. and Hart, P. E.: 1973, *Pattern Classification and Scene Analysis*, John Wiley and Sons, New York.

Eberly, D., Gardner, R., Morse, B., Pizer, S. and Scharlach, C.: 1993, Ridges for image analysis, Submitted to Journal of Mathematical Imaging and Vision, July 1993.

Ferraro, M. and Foster, D. H.: 1992, Towards a fuzzy geometry for visual space., *in* O, Toet, Heijmans, Foster and Meer (1992).

Florack, L. M.: 1992, Images: regular tempered distributions., *in* O et al. (1992).

Foster, D. H.: 1992, Classical and fuzzy differential methods., *in* O et al. (1992).

Gabor, D.: 1946, Theory of communication, *J. IEEE* **93**, 429–459.

Geiger, D. and Gerosi, F.: 1991, Parallel and deterministic algorithms from mrfs: Sufrace reconstruction, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **13**(5), 401–412. I think that this covers the idea of anisotropic diffusion being the same as energy functionals.

Geman, S. and Geman, D.: 1984, Stochastic relaxation, gibbs distributions and the bayesian restoration of images, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **6**(6), 721–741.

Gerig, G., Kubler, O., Kikinis, R. and Jolesz, F.: 1991, Nonlinear anistropic filtering of MRI data, *Technical Report BIWI-TR-124*, Institute for Communication Technology, Image Science Division, ETH-Zentrum, Surich, Switzerland.

Gerig, G., Martin, J., Kikinis, R., Kubler, O., Shenton, M. and Jolesz, F. A.: 1991, Automating segmentation of dual-echo mr head data, *in* Colchester and Hawkes (1991), pp. 175–189.

Graham, N.: 1979, Does the brain perform a Fourier analysis of the visual scene?

Graham, N.: 1981, The visual system does a crude Fourier analysis of patterns, *in* S. Grossberg (ed.), *SIAM–AMS Proceedings*, Vol. 13, American Mathematical Society, Lawrence Erlbaum Associates, Hillsdale, New Jersey, pp. 1–16.

Grossberg, S.: 1984, Neural dynamics of brightness perception: Features, boundaries, diffusion, and resonance, *Perception and Psychophysics* **36**(5), 428 – 456.

Grossberg, S. and Mingolla, E.: 1985, Neural dynamics of perceptual grouping: textures, boundaries and emergent segmentation, *Perception & Psychophysics* **38**(2), 141–171.

Haring, S., Viergever, M. and Kok, J.: 1993, A multiscale approach to image segmentation using kohonen networks, *in* Barrett and Gmitro (1993), pp. 307–321.

Jain, A. K. and Dubes, R.: 1988, *Algorithms for Clustering Data*, Prentice-Hall, New Jersey.

Johnson, V. E.: 1993, A framework for incorporating structural prior information into the estimation of medical images, *in* Barrett and Gmitro (1993), pp. 307–321.

Johnson, V., Wong, W., Hu, X. and Chen, C.: 1991, Aspects of image restoration using gibss priors: Boundary modeling, treatment of blurring, and selection of hyperparameters, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **13**, 412–425.

Jones, D. G. and Malik, J.: 1992, A computational framework for determining stereo correspondance from a set of linear spatial filters, *in* Sandini (1992), pp. 395–410.

Julesz, B. and Caelli, T.: 1979, On the limits of Fourier decompositions in visual texture perception, *Perception* **8**, 69–73.

Kikinis, R., Cline, H., Altobelli, D., Halle, M., Lorensen, W. and Jolesz, F. A.: 1992, Interactive visualization and manipulation of 3d reconstructions for the planning of surgical procedures, *Visualization in Biomedical Computing*, Vol. SPIE 1808, pp. 559–605.

Kimia, B. B. and Zucker, S. W.: 1992, Exploring the shape manifold: the role of conservation laws., *in* O et al. (1992).

Kimia, B. J., Tannenbaum, A. R. and Zucker, S. W.: 1992, Shapes, shocks, and deformations I: The components of shape and the reaction-diffusion space, *Technical Report LEMS-105*, Division of Engineering, Brown University.

Koenderink, J. and van Doorn, A.: 1993, Local features of smooth shapes: Ridges and courses, preprint.

Koenderink, J. J.: 1984, The structure of images, *Biol. Cybern.* **50**, 363–370.

Koenderink, J. J.: 1990, *Solid Shape*, MIT press, Cambridge, Mass.

Koenderink, J. J. and Doorn, A. J. V.: 1990, Receptive field families, *Biol. Cybern.* **63**, 291–298.

Leclerc, Y. G.: 1989, Constructing simple stable descriptions for image partitioning, *IJCV* **3**, 73–102.

Lee, T. S., Mumford, D. and Yuille, A.: 1992, Texture segmentation by minimizing vector-valued energy functionals: The coupled-membrane model, *in* Sandini (1992), pp. 165–183.

Lifshitz, L. and Pizer, S.: 1990, A multiresolution hierarchical approach to image segmentation based on intensity extrema, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **12**(6), 529–540.

Lin, W., Pizer, S. and Johnson, V.: 1991, Boundary estimation in ultrasound images, *in* Colchester and Hawkes (1991), pp. 285–299.

Lindeberg, T.: 1990, A scale-space for descrete signals, *IEEE Transactions on Pattern Analysis and Machine Intelligence* **12**(3), 234–245.

Lindeberg, T.: 1991, *Discrete Scale-space Theory and the Scale-space Primal Sketch*, PhD thesis, Royal Institute of Technology, Department of Numerical Analysis and Computing Science, Royal Institute of Technology, S-100 44 Stockholm, Sweden. TRITA-NA-P9108.

Macmillan, N.: 1991, *Detection Theory: A User's Guide*, Cambridge University Press.

Marr, D.: 1982, *Vision*, Freeman, San Francisco.

Morse, B. S.: 1992, Modification of boundary influence on medialness by credit attribution, *Technical Report TR92-024*, Department of Computer Science, UNC-CH.

Morse, B. S., Pizer, S. M. and Liu, A.: 1993, Multiscale medial analysis of medical images, *in* Barrett and Gmitro (1993), pp. 112–131.

Mumford, D. and Shah, J.: 1989, Optimal approximations by piecewise smooth functions and associated variational problems, *Comm. on Pure and Applied Mathematics* **42**, 577–685.

Nordstrom, N.: 1990, Biased anisotropic diffusion—a unified regularization and diffusion approach to edge detection, *Image and Vision Comp.* **8**(4), 318–327.

O, Y.-L., Toet, A., Heijmans, H., Foster, D. H. and Meer, P. (eds): 1992, *Shape in Picture: the mathematical description of shape in greylevel images*, Springer-Verlag.

Olver, P. J.: 1986, *Applications of Lie groups to differential equations*, Springer-Verlag. vol. 107 of Graduate Texts in Mathematics.

Perona, P. and Malik, J.: 1990, Scale-space and edge detection using anisotropic diffusion, *IEEE Transactions on Pattern Analysis Machine Intelligence* **12**, 629–639.

Petrovski, I. G.: 1967, *Partial Differential Equations*, W. B. Saunders Company, Philadelphia.

Pizer, S., Coggins, J. and Burbeck, C.: 1991, Formation of image objects in human vision, *Proceedings of the 1991 Conference on Computer Assisted Radiology*, Springer-Verlag, Berlin.

Pizer, S. M., Burbeck, C. A. and Morse, B. S.: 1992, Object-driven visual perception: a model, *Technical Report TR92–025*, Department of Computer Science, University of North Carolina at Chapel Hill. In preparation.

Pizer, S. M., Burbeck, C. A., Coggins, J. M., Fritsch, D. S. and Morse, B. S.: 1992, Object shape before boundary shape: scale-space medial axes, *Technical Report TR92–023*, Department of Computer Science, University of North Carolina at Chapel Hill. Presented at the NATO Shape in Picture Workshop, September 1992.

Pizer, S. M., Gauch, J., Cullip, T. J. and Fredericksen, R. E.: 1990, Descriptions of intensity structure via scale and symmetry, *Proceedings First Conference on Visualization in Boimedical Computing*, pp. 94–101.

Ramachandran, V.: 1992, Perception: a biological perspective, *in* G. A. Carpenter and S. Grossberg (eds), *Neural Networks for Vision and Image Processing*, MIT Press, pp. 45–91.

Ripley, B. D.: 1987, *Stochastic Simulation*, John Wiley and Sons.

Rosin, P. L., Colchester, A. C. F. and Hawkes, D. J.: 1991, Early image representation using regions defined by maximum gradient profiles between singular points, To appear in Pattern Recognition.

Salden, A., ter Haar Romeny, B., Florack, L., Koenderink, J. and Viergever, M.: 1991, Algebraic invariants: a complete and irreducible set of local features of 2d scalar images, *Technical report*, University of Utrecht.

Sandini, G. (ed.): 1992, *Proceedings from the Second European Conference on Compter Vision*, Springer-Verlag.

Serra, J.-P.: 1982, *Image Analysis and Mathematical Morphology*, Academic Press, New York.

Shah, J.: 1991, Segmentation by nonlinear diffusion, *Proc. Conf. on Computer Vision and Pattern Recognition*, pp. 202–207.

Snyder, W., Han, Y., Bilbro, G., Whitaker, R. and Pizer, S.: 1992, Relaxation and image diffusion.

ter Haar Romeny, B. M., Florack, L. M., Koenderink, J. J. and Viergever, M. A.: 1991a, Scale space; its natural operators and differential invariants, *in* A. C. F. Colchester and D. J. Hawkes (eds), *Lecture Notes in Computer Science*, Vol. 511, Springer-Verlag, pp. 239–255. Springer-Verlag, 1991, pp..

ter Haar Romeny, B. M., Florack, L. M., Koenderink, J. J. and Viergever, M. A.: 1991b, Scale space, *Technical Report 3DCV91-25*, University of Utrecht, Computer Vision Research Group, Utrecht, Netherlands.

van den Boomgaard, R.: 1992, *Mathematical Morphology: Extensions Towards Computer Vision*, PhD thesis, University of Amsterdam.

Wechsler, H.: 1990, *Computational Vision*, Academic Press, San Diego, CA.

Whitaker, R. T.: 1993, Geometry-limited diffusion in the characterization of geometric patches in images, *Computer Vision, Graphics, and Image Processing: Image Understanding* **57**(1), 111–120.

Whitaker, R. T. and Pizer, S. M.: 1993, A multi-scale approach to nonuniform diffusion, *Computer Vision, Graphics, and Image Processing: Image Understanding* **57**(1), 99–110.

Witkin, A. P. and Tenenbaum, J. M.: 1983, On the role of structure in vision, *in* J. Beck, B. Hope and A. Rosenfeld (eds), *Human and Machine Vision*, Academic Press, New York, NY, pp. 481–543.

Yoo, T., Neumann, U., Fuchs, H., Pizer, S., Cullip, T., Rhoades, J. and Whitaker, R.: 1992, Direct visualization of volume data, *IEEE Computer Graphics and Applications* **12**(4), 63–71.

Yoo, T. S. and Coggins, J. M.: 1993, Using statistical pattern recognition techniques to control variable conductance diffusion, *in* Barrett and Gmitro (1993), pp. 459–471.

Young, R. A.: 1986, Simulation of human retinal function with the Gaussian derivative model, *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*.

Young, R. A.: 1987, The Gaussian derivative model for spatial vision: I. Retinal mechanisms, *Spatial Vision* **2**(4), 273–293.

Young, R. A.: 1990, Oh say, can you see? The physiology of vision, *Technical report*, General Motors Research Laboratories.

Zahn, C. and Roskies, R.: 1972, Fourier descriptors for plane closed curves, *IEEE Transactions on Computers* **c-21**(3), 269–279.