



*Concurrent Programming:
Why you should care, deeply*

Don Porter
Portions courtesy Emmett Witchel






- Power and heat lay waste to processor makers
- ◆ Intel P4 (2000-2007)
 - 1.3GHz to 3.8GHz, 31 stage pipeline
 - “Prescott” in 02/04 was too hot. Needed 5.2GHz to beat 2.6GHz Athalon
 - ◆ Intel Pentium Core, (2006-)
 - 1.06GHz to 3GHz, 14 stage pipeline
 - Based on mobile (Pentium M) micro-architecture
 - ❖ Power efficient
 - ◆ 2% of electricity in the U.S. feeds computers
 - Doubled in last 5 years



- Architectural trends that favor multicore
- ◆ Power is a first class design constraint
 - Performance per watt the important metric
 - ◆ Leakage power significant with small transistors
 - Chip dissipates power even when idle!
 - ◆ Small transistors fail more frequently
 - Lower yield, or CPUs that fail?
 - ◆ Wires are slow
 - Light in vacuum can travel ~1m in 1 cycle at 3GHz
 - Motivates multicore designs (simpler, lower-power cores)
 - ◆ Quantum effects
 - ◆ Motivates multicore designs (simpler, lower-power cores)

Multicores are here, and coming fast!

4 cores in 2007	16 cores in 2009	80 cores in 20??
		
AMD Quad Core	Sun Rock	Intel TeraFLOP

“[AMD] quad-core processors ... are just the beginning....”
<http://www.amd.com>

“Intel has more than 15 multi-core related projects underway”
<http://www.intel.com>

Multicore programming will be in demand	
	<ul style="list-style-type: none"> ◆ Hardware manufacturers betting big on multicore ◆ Software developers are needed ◆ Writing concurrent programs is not easy ◆ You will learn how to do it in this class

Concurrency Problem									
	<ul style="list-style-type: none"> ◆ Order of thread execution is non-deterministic <ul style="list-style-type: none"> ➢ Multiprocessing <ul style="list-style-type: none"> ❖ A system may contain multiple processors → cooperating threads/processes can execute simultaneously ➢ Multi-programming <ul style="list-style-type: none"> ❖ Thread/process execution can be interleaved because of time-slicing ◆ Operations often consist of multiple, visible steps <ul style="list-style-type: none"> ➢ Example: $x = x + 1$ is not a single operation <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">❖ read x from memory into a register</td> <td style="width: 50%; text-align: right;">Thread 2</td> </tr> <tr> <td>❖ increment register</td> <td style="text-align: right;">read</td> </tr> <tr> <td>❖ store register back to memory</td> <td style="text-align: right;">increment</td> </tr> <tr> <td></td> <td style="text-align: right;">store</td> </tr> </table> ◆ Goal: <ul style="list-style-type: none"> ➢ Ensure that your concurrent program works under ALL possible interleaving 	❖ read x from memory into a register	Thread 2	❖ increment register	read	❖ store register back to memory	increment		store
❖ read x from memory into a register	Thread 2								
❖ increment register	read								
❖ store register back to memory	increment								
	store								

Questions	
	<ul style="list-style-type: none"> ◆ Do the following either completely succeed or completely fail? ◆ Writing an 8-bit byte to memory <ul style="list-style-type: none"> ➢ A. Yes B. No ◆ Creating a file <ul style="list-style-type: none"> ➢ A. Yes B. No ◆ Writing a 512-byte disk sector <ul style="list-style-type: none"> ➢ A. Yes B. No

Sharing among threads increases performance...	
	<pre> int a = 1, b = 2; main() { CreateThread(fn1, 4); CreateThread(fn2, 5); } fn1(int arg1) { if(a) b++; } fn2(int arg1) { a = arg1; } </pre> <p style="text-align: right;">What are the values of a & b at the end of execution?</p>

Sharing among threads increases performance, but can lead to problems!!	
	<pre> int a = 1, b = 2; main() { CreateThread(fn1, 4); CreateThread(fn2, 5); } fn1(int arg1) { if(a) b++; } fn2(int arg1) { a = 0; } </pre> <p style="text-align: right;">What are the values of a & b at the end of execution?</p>

Some More Examples	
	<ul style="list-style-type: none"> ◆ What are the possible values of x in these cases? <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> Thread1: x = 1; Thread2: x = 2; </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> Initially y = 10; Thread1: x = y + 1; Thread2: y = y * 2; </div> <div style="border: 1px solid black; padding: 5px;"> Initially x = 0; Thread1: x = x + 1; Thread2: x = x + 2; </div>

Critical Sections	
<ul style="list-style-type: none"> ◆ A critical section is an abstraction <ul style="list-style-type: none"> ➢ Consists of a number of consecutive program instructions ➢ Usually, crit sec are mutually exclusive and can wait/signal <ul style="list-style-type: none"> ✦ Later, we will talk about atomicity and isolation ◆ Critical sections are used frequently in an OS to protect data structures (e.g., queues, shared variables, lists, ...) ◆ A critical section implementation must be: <ul style="list-style-type: none"> ➢ Correct: the system behaves as if only 1 thread can execute in the critical section at any given time ➢ Efficient: getting into and out of critical section must be fast. Critical sections should be as short as possible. ➢ Concurrency control: a good implementation allows maximum concurrency while preserving correctness ➢ Flexible: a good implementation must have as few restrictions as practically possible 	13

The Need For Mutual Exclusion	
<ul style="list-style-type: none"> ◆ Running multiple processes/threads in parallel increases performance ◆ Some computer resources cannot be accessed by multiple threads at the same time <ul style="list-style-type: none"> ➢ E.g., a printer can't print two documents at once ◆ Mutual exclusion is the term to indicate that some resource can only be used by one thread at a time <ul style="list-style-type: none"> ➢ Active thread excludes its peers ◆ For shared memory architectures, data structures are often mutually exclusive <ul style="list-style-type: none"> ➢ Two threads adding to a linked list can corrupt the list 	14

Exclusion Problems, Real Life Example	
<ul style="list-style-type: none"> ◆ Imagine multiple chefs in the same kitchen <ul style="list-style-type: none"> ➢ Each chef follows a different recipe ◆ Chef 1 <ul style="list-style-type: none"> ➢ Grab butter, grab salt, do other stuff ◆ Chef 2 <ul style="list-style-type: none"> ➢ Grab salt, grab butter, do other stuff ◆ What if Chef 1 grabs the butter and Chef 2 grabs the salt? <ul style="list-style-type: none"> ➢ Yell at each other (not a computer science solution) ➢ Chef 1 grabs salt from Chef 2 (preempt resource) ➢ Chefs all grab ingredients in the same order <ul style="list-style-type: none"> ✦ Current best solution, but difficult as recipes get complex ✦ Ingredient like cheese might be sans refrigeration for a while 	15

The Need To Wait	
<ul style="list-style-type: none"> ◆ Very often, synchronization consists of one thread waiting for another to make a condition true <ul style="list-style-type: none"> ➢ Master tells worker a request has arrived ➢ Cleaning thread waits until all lanes are colored ◆ Until condition is true, thread can sleep <ul style="list-style-type: none"> ➢ Ties synchronization to scheduling ◆ Mutual exclusion for data structure <ul style="list-style-type: none"> ➢ Code can wait (await) ➢ Another thread signals (notify) 	16

Example 2: Traverse a singly-linked list	
<ul style="list-style-type: none"> ◆ Suppose we want to find an element in a singly linked list, and move it to the head ◆ Visual intuition: <div style="text-align: center; margin-top: 10px;"> </div> 	17

Example 2: Traverse a singly-linked list	
<ul style="list-style-type: none"> ◆ Suppose we want to find an element in a singly linked list, and move it to the head ◆ Visual intuition: <div style="text-align: center; margin-top: 10px;"> </div> 	18

Even more real life, linked lists	
<pre> lprev = NULL; for(lpitr = lhead; lpitr; lpitr = lpitr->next) { if(lpitr->val == target){ // Already head?, break if(lprev == NULL) break; // Move cell to head lprev->next = lpitr->next; lpitr->next = lhead; lhead = lpitr; break; } lprev = lpitr; } </pre>	<p>◆ Where is the critical section?</p>

Even more real life, linked lists	
<pre> Thread 1 // Move cell to head lprev->next = lpitr->next; lpitr->next = lhead; lhead = lpitr; </pre>	<pre> Thread 2 lprev->next = lpitr->next; lpitr->next = lhead; lhead = lpitr; </pre>
<p>◆ A critical section often needs to be larger than it first appears</p> <p>➢ The 3 key lines are not enough of a critical section</p>	

Even more real life, linked lists	
<pre> Thread 1 if(lpitr->val == target){ elt = lpitr; // Already head?, break if(lprev == NULL) break; // Move cell to head lprev->next = lpitr->next; // lpitr no longer in list } Thread 2 for(lpitr = lhead; lpitr; lpitr = lpitr->next) { if(lpitr->val == target){ </pre>	<p>◆ Putting entire search in a critical section reduces concurrency, but it is safe.</p>

Safety and Liveness	
<p>◆ Safety property: "nothing bad happens"</p> <p>➢ holds in every finite execution prefix</p> <ul style="list-style-type: none"> ◆ Windows™ never crashes ◆ a program never terminates with a wrong answer <p>◆ Liveness property: "something good eventually happens"</p> <p>➢ no partial execution is irremediable</p> <ul style="list-style-type: none"> ◆ Windows™ always reboots ◆ a program eventually terminates <p>◆ Every property is a combination of a safety property and a liveness property - (Alpern and Schneider)</p>	

Safety and liveness for critical sections	
<p>◆ At most k threads are concurrently in the critical section</p> <ul style="list-style-type: none"> ➢ A. Safety ➢ B. Liveness ➢ C. Both <p>◆ A thread that wants to enter the critical section will eventually succeed</p> <ul style="list-style-type: none"> ➢ A. Safety ➢ B. Liveness ➢ C. Both <p>◆ Bounded waiting: If a thread <i>i</i> is in entry section, then there is a bound on the number of times that other threads are allowed to enter the critical section (only 1 thread is allowed in at a time) before thread <i>i</i>'s request is granted.</p> <ul style="list-style-type: none"> ➢ A. Safety B. Liveness C. Both 	