

Tardiness Bounds under Global EDF Scheduling on a Multiprocessor *

UmaMaheswari C. Devi and James H. Anderson
Department of Computer Science
The University of North Carolina at Chapel Hill

Abstract

This paper considers the scheduling of soft real-time sporadic task systems under global EDF on an identical multiprocessor. Prior research on global EDF has focussed mostly on hard real-time systems, where, to ensure that all deadlines are met, approximately 50% of the available processing capacity will have to be sacrificed in the worst case. This may be overkill for soft real-time systems that can tolerate bounded tardiness. In this paper, we derive tardiness bounds under preemptive and non-preemptive global EDF on multiprocessors when the total utilization of a task system is not restricted and may equal the number of processors. Our tardiness bounds depend on per-task utilizations and execution costs — the lower these values, the lower the tardiness bounds. As a final remark, we note that global EDF may be superior to partitioned EDF for multiprocessor-based soft real-time systems in that the latter does not offer any scope to improve system utilization even if bounded tardiness can be tolerated.

1 Introduction

A number of present-day and emerging applications require real-time and quality-of-service guarantees and also have workloads that necessitate multiprocessor-based designs. Systems that track people and machines, virtual-reality systems, systems that host web-sites, and signal-processing systems such as synthetic-aperture imaging are some examples. Timing constraints in several of these applications are predominantly soft in that deadlines may be missed as long as the long-run fraction of the processing time allocated to each task in the application is in accordance with its utilization. A system design that can guarantee that deadline misses, if any, are bounded by constant amounts is sufficient to provide guarantees on long-term processor shares. Hence, scheduling methods that ensure bounded deadline misses and that can be applied when other methods cannot are of considerable value and interest.

Multiprocessor scheduling algorithms can be classified according to whether they use a *partitioning* or *global-scheduling* approach. Under partitioning, tasks are statically partitioned among processors, but under global scheduling, they are scheduled from a single ready queue and may execute on any processor. The two approaches can be differentiated further based on the scheduling algorithm that is used. For instance, the *earliest-deadline-first* (EDF) or the *rate-monotonic* (RM) [13] scheduling algorithm could be used as the per-processor scheduler under partitioning, or as the system-wide scheduler under global scheduling. Though Pfair scheduling [6], which falls under the umbrella of global scheduling, is theoretically optimal for recurrent real-time task systems on multiprocessors, it can incur significant preemption, migration, and scheduling overheads due to its quantum-based scheduling. Hence, other scheduling algorithms that are not optimal have continued to receive attention.

It is well known that preemptive EDF is optimal for scheduling independent periodic or sporadic tasks on uniprocessors and that its utilization bound is 100% when relative deadlines are *implicit*, *i.e.*, equal periods [13]. However, the worst-case utilization bound of EDF for implicit-deadline systems is approximately 50% on multiprocessors under both partitioning and global scheduling [8]. Moreover, partitioning schemes suffer from the drawback of offering no scope for improving system utilization even if bounded deadline misses can be tolerated. This is because, if a task set cannot be partitioned without over-utilizing some processor, then deadline misses and tardiness for tasks on that processor will increase with time. On the other hand, as we show in this paper, the outlook is more promising if tasks are not pinned to processors.

In 1978, Dhall and Liu showed that there exist task sets with total utilization arbitrarily close to 1.0 that cannot be correctly scheduled on m processors for any $m \geq 2$ under global EDF or RM scheduling [11]. Perhaps due to this negative result, also referred to as the “Dhall effect,” the real-time research community largely ignored global scheduling for some time. However, recently, several researchers have noted that the Dhall effect is due to the

*Work supported by NSF grants CCR 0204312, CCR 0309825, and CCR 0408996. The first author was also supported by an IBM Ph.D. fellowship.

presence of tasks with high and low utilizations and have shown that it can be overcome by restricting per-task utilizations [16, 12, 5, 3]. In [12], Goossens, Funk, and Baruah showed that on m processors EDF can correctly schedule any independent periodic task system (with implicit deadlines) if the total utilization of all tasks, U_{sum} , is at most $m - (m - 1)u_{max}$. Later, schedulability tests that can be applied to task systems with relative deadlines at most periods were developed by Baker [3] and Bertogna *et al.* [7].

The schedulability tests for global EDF depend on u_{max} — the lower the value of u_{max} , the higher the total utilization of a task system that is schedulable. Nevertheless, even with $u_{max} = 0.5$, half the total available processing capacity will have to be wasted, if every deadline must be met. This may be overkill for soft real-time systems that can tolerate bounded deadline misses.

The research discussed above concerns preemptive EDF (or, simply EDF). To our knowledge, non-preemptive EDF (NP-EDF) on multiprocessors has been considered only in [4], where a sufficient schedulability condition is derived for task systems in which the maximum execution cost of any task is less than the minimum period of any task.

Non-trivial schedulability tests have been developed for global RM scheduling also [2, 3]. However, the schedulable utilizations that these tests allow are less than that allowed by EDF. Furthermore, like partitioning algorithms, global RM (or any global static-priority algorithm) may not be suitable for soft real-time systems. This is because, it is easy to construct task systems in which tardiness for low-priority tasks increases with time when scheduled under RM.

Contributions. In this paper, we address the issue of determining the amount by which any deadline may be missed under global EDF or NP-EDF on a multiprocessor, if the total system utilization is not restricted and may be any value up to m , where m is the total number of processors. The tardiness bounds that we derive depend on per-task utilizations and execution costs, and for EDF is at most $((m - 1) \cdot e_{max} - e_{min}) / (m - (m - 2) \cdot u_{max}) + e_{max}$, where e_{max} and e_{min} are the maximum and minimum execution costs of any task. For NP-EDF, we derive a bound of $(m \cdot e_{max} - e_{min}) / (m - (m - 1) \cdot u_{max}) + e_{max}$, which is worse than that of EDF by over $e_{max} / (m - (m - 1)u_{max})$. Better bounds, which may be possible by considering the $m - 1$ tasks with highest utilizations and execution costs, are also provided in the paper. The difference between the EDF and NP-EDF bounds is approximately e_{max} / m when $u_{max} \approx 0.0$, and increases to around $((m + 1) \cdot e_{max}) / 2$ as $u_{max} \rightarrow 1.0$. However, for task systems in which significantly fewer than m tasks have an execution cost of e_{max} or a utilization of u_{max} , the difference between the two bounds narrows considerably if computed using the more accurate methods described in the paper. It is also interesting to note that as $m \rightarrow \infty$, both bounds converge to

$e_{max} / (1 - u_{max}) + e_{max}$. Because a job may be blocked for up to e_{max} time units by a lower-priority job under NP-EDF, the small difference between the two bounds at low utilizations or for high values of m suggests that the analysis of EDF may not be tight for arbitrary m . However, for $m = 2$, we show that tardiness is at most e_{max} , which is tight. In a similar vein, the significantly higher difference at high utilizations, when close to m tasks have a utilization of u_{max} and an execution cost of e_{max} , suggests that a better bound may be possible for NP-EDF. Nevertheless, these results should enable the class of soft real-time applications described above to be EDF-scheduled on multiprocessors. We consider the NP-EDF-result to be particularly significant in that, due to its potential to lower worst-case execution-cost estimates by eliminating preemptions, a large overall improvement in system utilization should be possible if bounded deadline misses are acceptable.

Other work on soft real-time systems. Most prior work on soft real-time systems has focussed on uniprocessor systems only. The main objective has been to decrease the response time for aperiodic tasks, or to derive probabilistic or deterministic bounds on deadline misses for task systems provisioned using average-case task parameters, as opposed to worst-case parameters [14]. While such formulations of soft real-time systems are important and useful for multiprocessor systems also, in this paper we seek to improve the system utilization of a multiprocessor for a simple model.

On multiprocessors, soft Pfair-based real-time scheduling has previously been considered in [15] and [9], where tardiness bounds are derived for a suboptimal Pfair scheduling algorithm that is less expensive than optimal algorithms. An algorithm with limited inter-processor migrations, based on partitioned-EDF, for scheduling soft real-time systems has been presented in [1].

Organization. The rest of this paper is organized as follows. Our system model is formally presented in Sec. 2. Tardiness bounds are derived for EDF and NP-EDF in Sec. 2. In Sec. 4, an empirical evaluation of the tightness of the bounds is presented. Finally, Sec. 5 concludes.

2 System Model

A sporadic task system τ comprised of $n > 0$ independent, sporadic tasks is to be scheduled upon a multiprocessor platform comprised of $m \geq 2$ identical processors. Each task $T_i(e_i, p_i)$, where $1 \leq i \leq n$, is characterized by a minimum inter-arrival time, also referred to as its *period*, $p_i > 0$, an *execution cost* $e_i \leq p_i$, and a *relative deadline* $D_i = p_i$. Every task T_i may be invoked zero or more times with two consecutive invocations separated by at least p_i time units. Each invocation of T_i is referred to as a *job* of T_i and the k^{th} job of T_i , where $k \geq 1$, is denoted $T_{i,k}$. The first job may be invoked or *released* at any time at or after time zero. The release time of job $T_{i,k}$ is

denoted $r_{i,k}$. A periodic task system, in which every two consecutive jobs of every task are separated by exactly p_i time units, is a special instance of a sporadic task system. Every job of T_i has a worst-case execution requirement of e_i time units. The *absolute deadline* (or just *deadline*) of $T_{i,k}$, denoted $d_{i,k}$ and given by $r_{i,k} + D_i$, is the time at or before which $T_{i,k}$ should complete execution. The notation $T_i(e_i, p_i)$ is sometimes used to concisely denote the execution cost and period of task T_i . Each task is sequential, and at any time may execute on at most one processor.

We say that a sporadic task system τ is *concrete*, if the release time of every job of each of its tasks is specified, and *non-concrete*, otherwise. Note that infinite concrete task systems can be specified for every non-concrete task system. When unambiguous from context, we omit specifying the type of the task system. The results in this paper are for non-concrete task systems, and hence hold for every concrete task system.

The *utilization* of T_i is denoted u_i and is given by e_i/p_i . The *total utilization* of a task system τ is defined as $U_{sum}(\tau) = \sum_{i=1}^n u_i$. We place no constraint on total utilization except that $U_{sum}(\tau) \leq m$ hold. The maximum utilization and the maximum execution cost of any task in τ are denoted $u_{max}(\tau)$ and $e_{max}(\tau)$, respectively. The minimum execution cost of any task is denoted $e_{min}(\tau)$. $\mathcal{U}_{max}(\tau, k)$, where $k \leq n$, denotes a subset of k tasks with highest utilizations in τ , *i.e.*, a subset of k tasks of τ each with utilization at least as high as that of every task in $\tau \setminus \mathcal{U}_{max}(\tau, k)$. $\mathcal{E}_{max}(\tau, k)$ is defined analogously with respect to execution costs. (In all of these max and min terms, the task system will be omitted when it is unambiguous.) A task system is *preemptive* if the execution of its jobs may be interrupted and resumed later, and *non-preemptive*, otherwise. Under both preemptive EDF (or just EDF) and non-preemptive EDF (or NP-EDF), ready jobs are prioritized on the basis of their deadlines, with jobs with earlier deadlines having higher priority than jobs with later deadlines. Ties among jobs with the same deadline are resolved arbitrarily, but consistently. Under EDF, an arriving job with higher priority preempts the executing job with the lowest priority if no processor is available. The preempted job may later resume execution on a different processor. Under NP-EDF, the arriving job waits until some job completes execution and a processor becomes available. Thus, under NP-EDF, once scheduled, a job is guaranteed execution until completion without interruption.

As discussed in the introduction, this paper is concerned with deriving a lateness or *tardiness* [14] bound for a sporadic task system scheduled under EDF or NP-EDF. Formally, the tardiness of a job $T_{i,j}$ in schedule \mathcal{S} is defined

* \setminus is the set difference operator. $A \setminus B$ is the subset of all the elements of A that are not in B .

as $tardiness(T_{i,j}, \mathcal{S}) = \max(0, t - d_{i,j})$, where t is the time at which $T_{i,j}$ completes executing in \mathcal{S} . The tardiness of a task system τ under scheduling algorithm \mathcal{A} is defined as the maximum tardiness of any job of a task in τ in any schedule for any concrete instantiation under \mathcal{A} . If κ is the maximum tardiness of any task system under \mathcal{A} , then \mathcal{A} is said to *ensure a tardiness bound of κ* . Though tasks in a soft real-time system are allowed to have nonzero tardiness, we assume that *missed deadlines do not delay future job releases*. That is, if a job of a task misses its deadline, then the release time of the next job of that task remains unaltered. Of course, we assume that no two jobs of the same task can execute in parallel. Thus, a missed deadline effectively reduces the interval over which the next job should be scheduled in order to meet its deadline.

3 Tardiness Bounds

Our approach towards determining tardiness bounds under EDF and NP-EDF involves comparing the allocations to a concrete task system τ in a processor sharing (PS) schedule for τ and an actual EDF or NP-EDF schedule of interest for τ , as the case may be, and quantifying the difference between the two. In a PS schedule, each job of T_i is allocated a fraction u_i of a processor at each instant (or equivalently, a fraction u_i of each instant) in the interval between its release time and its deadline. Because $D_i = p_i$ for all i , and $U_{sum} \leq m$ holds, the total demand at any instant will not exceed m in a PS schedule, and hence no deadlines will be missed; in fact, every job will complete executing exactly at its deadline. We begin by setting the required machinery in place.

3.1 Definitions and Notation

A time interval $[t_1, t_2)$ consists of all times t , where $t_1 \leq t < t_2$, and is of length $t_2 - t_1$. Interval (t_1, t_2) excludes t_1 . The system start time is assumed to be zero. For any time $t > 0$, the notation t^- is used to denote a time instant that is earlier than t and is arbitrarily close to t . More specifically, $t^- \geq 0$ is the latest time instant before t such that the state of the system is unchanging in $[t^-, t)$ in the following sense: (i) There are no job releases or deadlines in (t^-, t) . (ii) If a processor is executing a job, say $T_{i,j}$, at t^- , then it executes $T_{i,j}$ throughout $[t^-, t)$, and if a processor is idle at t^- , then it is idle throughout $[t^-, t)$. (In other words, t^- denotes the time $t - \epsilon$ in the limit $\epsilon \rightarrow 0+$.)

Definition 1 (active tasks, active jobs, and windows): A task T_i is said to be *active* at time t , if there exists a job $T_{i,j}$ such that $r_{i,j} \leq t < d_{i,j}$; $T_{i,j}$ is said to be the *active job* of T_i at t and the interval $[r_{i,j}, d_{i,j})$ is referred to as the *window* of $T_{i,j}$. By our task model, every task can have at most one active job at any time.

Definition 2 (pending jobs): $T_{i,j}$ is said to be *pending* at t in a schedule \mathcal{S} if $r_{i,j} \leq t$ and $T_{i,j}$ has not completed exe-

cution by t in \mathcal{S} . Note that a job with a deadline at or before t is not considered to be active at t even if it is pending at t .

We now quantify the total allocation to a concrete task system τ in an interval $[t_1, t_2)$ in a PS schedule for τ , denoted PS_τ . For this, let $A(\mathcal{S}, T_i, t_1, t_2)$ denote the total time allocated to T_i in an arbitrary schedule \mathcal{S} for τ in $[t_1, t_2)$. Then, since in PS_τ , T_i is allocated a fraction u_i of each instant at which it is active in $[t_1, t_2)$, we have

$$A(\text{PS}_\tau, T_i, t_1, t_2) \leq (t_2 - t_1)u_i. \quad (1)$$

τ 's total allocation in $[t_1, t_2)$ in PS_τ is given by

$$A(\text{PS}_\tau, \tau, t_1, t_2) \leq \sum_{T_i \in \tau} (t_2 - t_1)u_i \leq m(t_2 - t_1). \quad (2)$$

We will next define lag and LAG, which play a pivotal role in this paper. In the scheduling literature, the *lag* of task T_i at t in an arbitrary schedule \mathcal{S} for τ is defined as the difference between the allocations to T_i in PS_τ and \mathcal{S} in interval $[0, t)$. This difference, denoted $\text{lag}(T_i, t, \mathcal{S})$, is given by

$$\text{lag}(T_i, t, \mathcal{S}) = A(\text{PS}_\tau, T_i, 0, t) - A(\mathcal{S}, T_i, 0, t). \quad (3)$$

If $\text{lag}(T_i, t, \mathcal{S})$ is positive, then schedule \mathcal{S} has performed less work on the jobs of T_i until t than PS_τ (or T_i is under-allocated in \mathcal{S}), and more work if $\text{lag}(T_i, t, \mathcal{S})$ is negative (or T_i is over-allocated in \mathcal{S}). The total lag of a task system τ at t , denoted $\text{LAG}(\tau, t, \mathcal{S})$, is given by the sum of the lags of all tasks in τ . That is,

$$\begin{aligned} \text{LAG}(\tau, t, \mathcal{S}) &= \sum_{T_i \in \tau} \text{lag}(T_i, t, \mathcal{S}) \\ &= A(\text{PS}_\tau, \tau, 0, t) - A(\mathcal{S}, \tau, 0, t). \end{aligned} \quad (4)$$

Note that $\text{LAG}(\tau, 0, \mathcal{S})$ and $\text{lag}(T_i, 0, \mathcal{S})$ are both zero, and that by (3) and (4) we have the following for $t_2 > t_1$.

$$\begin{aligned} \text{lag}(T_i, t_2, \mathcal{S}) &= \text{lag}(T_i, t_1, \mathcal{S}) + \\ &A(\text{PS}_\tau, T_i, t_1, t_2) - A(\mathcal{S}, T_i, t_1, t_2) \end{aligned} \quad (5)$$

$$\begin{aligned} \text{LAG}(\tau, t_2, \mathcal{S}) &= \text{LAG}(\tau, t_1, \mathcal{S}) + \\ &A(\text{PS}_\tau, \tau, t_1, t_2) - A(\mathcal{S}, \tau, t_1, t_2) \end{aligned} \quad (6)$$

One final definition is needed before proceeding.

Definition 3 (busy interval): A time interval $[t_1, t_2)$, where $t_2 > t_1$, is said to be *busy* for τ if all m processors are executing some job of a task in τ throughout the interval, *i.e.*, no processor is ever idle in the interval or executes a job that is not of a task in τ . An interval $[t_1, t_2)$ that is not busy for τ is said to be *non-busy* for τ , and is said to be *maximally non-busy* if every time instant in $[t_1, t_2)$ is non-busy, and either $t_1 = 0$ or t_1^- is busy.

If $[t_1, t_2)$ is a busy interval in a schedule \mathcal{S} for τ , then the tasks in τ receive a total allocation of $m(t_2 - t_1)$ in \mathcal{S} in that interval. By (2), the total allocation to τ in $[t_1, t_2)$ cannot exceed $m(t_2 - t_1)$ in PS_τ . Thus, by (6), the LAG of

τ at t_2 cannot exceed that at t_1 , and we have the following.

Lemma 1 *If $\text{LAG}(\tau, t + \delta, \mathcal{S}) > \text{LAG}(\tau, t, \mathcal{S})$, where $\delta > 0$ and \mathcal{S} is a schedule for τ , then $[t, t + \delta)$ is a non-busy interval for τ .*

3.2 A Tardiness Bound for EDF

Our goal is to determine a tardiness bound for non-concrete sporadic task systems. For this, we first determine a lower bound on the LAG at $d_{i,j}$ of an arbitrary concrete task system τ that is necessary for the tardiness of an arbitrary job $T_{i,j}$ of a task T_i in τ to exceed a given value in an EDF schedule. Next, we determine an upper bound on the LAG possible for τ at $d_{i,j}$, in terms of the parameters of the tasks in τ . Using these two values, it is then possible to determine a tardiness bound for τ . As we shall see, this tardiness bound that we derive is independent of release times of jobs in τ , and hence applies to all concrete task systems that are specified by the same non-concrete task system as τ , *i.e.*, to non-concrete task systems (Theorem 1). The lemma that follows determines a lower bound on LAG necessary for a given tardiness.

Lemma 2 *Let the deadline of every job of every task in a (concrete) sporadic task system τ be at most t_d and let the tardiness of every job of T_k with a deadline less than t_d be at most $x + e_k$, where $x \geq 0$, for all $1 \leq k \leq n$, in an EDF schedule \mathcal{S} for τ on m processors. Let $\text{LAG}(\tau, t_d, \mathcal{S}) \leq mx + e_i$, where $t_d = d_{i,j}$, for some $1 \leq i \leq n$. Then, $\text{tardiness}(T_{i,j}, \mathcal{S})$ is at most $x + e_i$.*

Proof: Note that because the deadline of every job of a task in τ is at most t_d , $\text{LAG}(\tau, t_d, \mathcal{S})$ denotes the amount of work that needs to be done after t_d on jobs of tasks in τ in \mathcal{S} . Let $\delta_i \leq e_i$ denote the amount of time that $T_{i,j}$ has executed for before time t_d and let $y = x + \delta_i/m$. We consider two cases depending on whether $[t_d, t_d + y)$ is busy.

Case 1: $[t_d, t_d + y)$ is busy. In this case, the amount of work completed in $[t_d, t_d + y)$ is exactly $my = mx + \delta_i$, and hence, the amount of work pending at $t_d + y$ is at most $e_i - \delta_i$. This remaining work will be completed no later than $t_d + y + e_i - \delta_i \leq t_d + x + e_i$. Thus, $T_{i,j}$ completes execution at or before $t_d + x + e_i$. Hence, $\text{tardiness}(T_{i,j}, \mathcal{S}) \leq t_d + x + e_i - d_{i,j} = x + e_i$.

Case 2: $[t_d, t_d + y)$ is not busy. Let t' denote the earliest non-busy instant in $[t_d, t_d + y)$. Then, because every job has its release time before t_d , and hence is ready at t' if its predecessor job has completed executing by t' , we have

(J) At most $m - 1$ tasks have pending jobs at or after t' .

Therefore, if $T_{i,j}$ has not completed executing before $t_d + y$, then either $T_{i,j}$ or a prior job of T_i should be executing at t' . If $T_{i,j}$ is executing at t' , then because by (J) there can be no preemptions after t' and $t' < t_d + y$ holds, $T_{i,j}$ will complete

executing before $t_d + y + e_i - \delta_i \leq t_d + x + e_i$. Thus, the tardiness of $T_{i,j}$ is less than $x + e_i$, which establishes the lemma. The remaining possibility is that $j > 1$ holds, and that a job of T_i that is prior to $T_{i,j}$ is executing at t' . In this case, $T_{i,j}$ could not have executed before t_d , and hence $\delta_i = 0$ and $y = x$ holds. Because successive jobs of T_i are separated by at least p_i time units, $d_{i,j-1} \leq t_d - p_i$ holds. Hence, by the statement of the lemma, $T_{i,j-1}$ completes executing by $t_d - p_i + x + e_i$. Thus, the latest time that a prior job of T_i could complete executing is $t_d - p_i + x + e_i \leq t_d + x$. Because $t' < t_d + y = t_d + x$, by (J), $T_{i,j}$ commences execution at or before $t_d + x$, and hence, completes executing by $t_d + x + e_i$. ■

By Lemma 1, the LAG of τ can increase only across an interval that is non-busy. Thus, if t' is the end of the latest maximally non-busy interval in $[0, t_d]$ in a schedule \mathcal{S} for τ (i.e., t'^- is non-busy and $[t', t_d]$ is busy), then $\text{LAG}(\tau, t) \leq \text{LAG}(\tau, t')$, for all $t' \leq t < t_d$. (If every instant in \mathcal{S} is busy, then $\text{LAG}(\tau, t, \mathcal{S}) \leq 0$, for all t .) Hence, an upper bound on the LAG of τ at the end of the latest maximally non-busy interval at or before t_d would serve as an upper bound on the LAG of τ at t_d as well. The next lemma derives such an upper bound.

Lemma 3 *Let the deadline of every job of every task in a (concrete) sporadic task system τ with $U_{\text{sum}} \leq m$ be at most t_d and let \mathcal{S} be an EDF schedule for τ on m processors. Let the tardiness in \mathcal{S} of every job of T_k with a deadline less than t_d be at most $x + e_k$, where $x \geq 0$, for all $1 \leq k \leq n$. Let $[t, t']$, where $0 \leq t < t' \leq t_d$, be a maximally non-busy interval in $[0, t_d]$. Then, $\text{LAG}(\tau, t', \mathcal{S})$ is at most $x \cdot \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k + \sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k$.*

Proof: Recall that t'^- denotes a time instant before t' that is arbitrarily close to t' . By the statement of the lemma, t'^- is non-busy, and by (4), the LAG of τ at t' is given by the sum of the lags at t' of tasks in τ . Therefore, an upper bound on the LAG of τ at t' can be determined by determining an upper bound on the lag at t' of each task in τ . For this, we partition the tasks in τ into subsets α, γ, β , and ρ , as defined below, and then determine an upper bound on the lag of a task in each subset.

- $\alpha \stackrel{\text{def}}{=} \text{subset of all tasks in } \tau \text{ executing throughout } [t, t')$
- $\gamma \stackrel{\text{def}}{=} \text{subset of all tasks in } \tau \text{ not executing at least in part of } [t, t'), \text{ but executing at } t'^-$
- $\beta \stackrel{\text{def}}{=} \text{subset of all tasks in } \tau \text{ not executing at } t'^-, \text{ but are active at } t'^-$
- $\rho \stackrel{\text{def}}{=} \text{subset of all tasks in } \tau \text{ not executing at } t'^- \text{ and inactive at } t'^-$

Upper bound on the lag of a task in α . Let T_k be a task in α and let $T_{k,j}$ be its job executing at t . Let δ_k denote the

amount of time that $T_{k,j}$ has executed before t in \mathcal{S} . We first determine the lag of T_k at t by considering two cases depending on $d_{k,j}$. (We consider t' afterwards.)

Case 1: $d_{k,j} < t$. Because $T_{k,j}$ is executing at t and a newly arriving job, whose deadline would be greater than t , cannot preempt $T_{k,j}$, the latest time that $T_{k,j}$ completes executing is $t + e_k - \delta_k$. (It could complete earlier if its actual execution time is less than e_k .) By the statement of the lemma, the tardiness of every job of T_k with a deadline less than t_d is at most $x + e_k$. Therefore, $d_{k,j} \geq t + e_k - \delta_k - (x + e_k) = t - \delta_k - x$ holds. (Note that $d_{k,j} \geq t - \delta_k - x$ holds even if $T_{k,j}$ completes early, because the tardiness bound should hold for the worst case, when $T_{k,j}$ executes for a full e_k time units.) In PS_τ , $T_{k,j}$ completes execution at $d_{k,j}$, and the jobs of T_k succeeding $T_{k,j}$ are allocated a share of u_k in every instant in their windows. Because windows of no two jobs overlap, T_k is allocated a share of u_k in every instant in $[d_{k,j}, t)$ in which it is active. Thus, the under-allocation to T_k in \mathcal{S} in $[0, t)$ is equal to the sum of the under-allocation to $T_{k,j}$ in \mathcal{S} , which is $e_k - \delta_k$, and the allocation to later jobs of T_k in $[d_{k,j}, t)$ in PS_τ . Hence, $\text{lag}(T_k, t, \mathcal{S})$ is at most $e_k - \delta_k + (t - d_{k,j}) \cdot u_k \leq e_k - \delta_k + (x + \delta_k) \cdot u_k$.

Case 2: $d_{k,j} \geq t$. In this case, the amount of work done by PS_τ on $T_{k,j}$ up to time t is given by $e_k - (d_{k,j} - t) \cdot u_k$. Because all prior jobs of T_k complete execution by t in both \mathcal{S} and PS_τ , and $T_{k,j}$ has executed for δ_k time units before t , $\text{lag}(T_k, t, \mathcal{S}) = e_k - (d_{k,j} - t) \cdot u_k - \delta_k \leq e_k - \delta_k \leq e_k - \delta_k + (x + \delta_k) \cdot u_k$.

Thus, in both cases, we have

$$\text{lag}(T_k, t, \mathcal{S}) \leq e_k - \delta_k + (x + \delta_k) \cdot u_k. \quad (7)$$

Next, to determine the lag of T_k at t' , we determine the allocations to T_k in $[t, t')$ in \mathcal{S} and in PS_τ . In PS_τ , T_k is allocated a share of at most u_k at every instant in $[t, t')$, for a total allocation of at most $(t' - t) \cdot u_k$. Because T_k executes throughout $[t, t')$ in \mathcal{S} , its total allocation in \mathcal{S} in $[t, t')$ is $t' - t$. Hence, $\text{A}(\text{PS}_\tau, T_k, t, t') - \text{A}(\mathcal{S}, T_k, t, t') \leq (u_k - 1) \cdot (t' - t)$, and so, by (5) and (7),

$$\begin{aligned} \text{lag}(T_k, t', \mathcal{S}) &\leq e_k - \delta_k + (x + \delta_k) \cdot u_k + (u_k - 1) \cdot (t' - t) \\ &\leq e_k + x \cdot u_k \\ &\quad \{\text{because } t' > t, u_k \leq 1, \text{ and } \delta_k \geq 0\}. \end{aligned} \quad (8)$$

Upper bound on the lag of a task in γ . Let T_k be a task in γ and let t'' , where $t < t'' < t'$, denote the latest time at or before t' that T_k transitions from a non-executing to an executing state. Because $[t, t')$ is maximally non-busy and T_k is not executing at t'' , jobs of T_k released before t'' complete execution in \mathcal{S} before t'' , and a job of T_k is released at t'' . Hence, the total allocations to T_k in $[0, t'')$ are equal in both \mathcal{S} and PS_τ , and so, $\text{lag}(T_k, t'', \mathcal{S}) = 0$. Therefore, $\text{lag}(T_k, t', \mathcal{S}) = \text{A}(\text{PS}_\tau, T_k, t', t') - \text{A}(\mathcal{S}, T_k, t', t') \leq (t' - t'')u_k - (t' - t'') \leq 0$.

Upper bound on the lag of a task in β . Let $T_{k,j}$ be the active job at t'^- of a task T_k in β . Then, $T_{k,j}$ is not executing at t'^- in \mathcal{S} and $d_{k,j} > t'^-$ holds. By the definition of t'^- , $d_{k,j} \geq t'$ holds. Thus, since EDF does not idle a processor when there is pending work, and at least one processor is idle throughout $[t, t')$, $T_{k,j}$ completes execution before t'^- . However, in PS_τ , $T_{k,j}$ would not complete execution until $d_{k,j}$, and hence T_k is not under-allocated in $[0, t')$ in \mathcal{S} . Thus, T_k 's lag at t' is at most zero.

Upper bound on the lag of a task in ρ . Reasoning here is similar to that used for tasks in β . Let T_k be a task in ρ . Then, T_k is not executing at t'^- in \mathcal{S} , no job of T_k is active at t'^- , and the deadline of every job of T_k released before t'^- is at most t'^- . Hence, because EDF is work-conserving and at least one processor is idle at t'^- , all jobs of T_k released before t'^- complete execution by t'^- in \mathcal{S} . Because their deadlines are at most t'^- , these jobs complete execution by t'^- in PS_τ also. There are no new job releases for T_k in $[t'^-, t')$, and thus, the total allocations to T_k in \mathcal{S} and PS_τ in $[0, t')$ are equal. Therefore, $\text{lag}(T_k, t', \mathcal{S}) = 0$.

By (4), the LAG of τ at t' is given by the sum of the lags of tasks in subsets α , β , γ , and ρ . As shown above, only tasks in α may have a positive lag, and thus, $\text{LAG}(\tau, t', \mathcal{S}) = \sum_{T_k \in \alpha \cup \gamma \cup \beta \cup \rho} \text{lag}(T_k, t', \mathcal{S}) \leq \sum_{T_k \in \alpha} \text{lag}(T_k, t', \mathcal{S})$, and by (8), $\text{LAG}(\tau, t', \mathcal{S}) \leq \sum_{T_k \in \alpha} (e_k + x \cdot u_k)$. Since $[t, t')$ is maximally non-busy, there could be at most $m - 1$ tasks in α . Therefore, $\text{LAG}(\tau, t', \mathcal{S}) \leq x \cdot \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k + \sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k$. ■

Finally, to determine a tardiness bound under EDF, we are left with determining as small an x as possible such that the upper bound given by Lemma 3 does not exceed the lower bound required in Lemma 2. We do this next.

Theorem 1 *The tardiness of every task T_i of a sporadic task system τ , where $U_{\text{sum}}(\tau) \leq m$, is at most*

$$\frac{(\sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k) - e_{\min}}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k} + e_i \quad (9)$$

under EDF on m processors.

Proof: Suppose the theorem does not hold. Then, there exists a concrete task system τ^c specified by τ such that the tardiness of some job of τ^c exceeds the bound in (9) in an EDF schedule \mathcal{S} for τ^c . Let $T_{i,\ell}$ denote one such job such that the deadline of $T_{i,\ell}$ is not later than that of any such job. Let τ' denote another concrete task system obtained from τ^c by removing all jobs with deadlines exceeding $d_{i,\ell}$, and let \mathcal{S}' be an EDF schedule for τ' . Assuming an EDF scheduler that resolves ties among jobs consistently, every job in τ' will have identical schedules in both \mathcal{S} and \mathcal{S}' , and hence the same tardiness in both schedules.

Let $t_d = d_{i,\ell}$. Then, since $T_{i,\ell}$ misses its deadline, $\text{lag}(T_{i,\ell}, t_d, \mathcal{S}') > 0$. Also, since no job in τ' has a dead-

line exceeding t_d , no task of τ' is over-allocated in $[0, t_d)$ in \mathcal{S}' , i.e., no task of τ' has a negative lag at t_d . Thus, by (4), $\text{LAG}(\tau', t_d, \mathcal{S}') > 0$. Since $\text{LAG}(\tau', 0, \mathcal{S}') = 0$, by Lemma 1, there exists a non-busy interval in $[0, t_d)$ in \mathcal{S}' . Let t' be the end of the latest maximally non-busy interval before t_d . Then, as discussed earlier, by Lemma 1, $\text{LAG}(\tau', t_d, \mathcal{S}') \leq \text{LAG}(\tau', t', \mathcal{S}')$. By our definition of $T_{i,\ell}$, the tardiness of every job of task T_j with deadline less than t_d is at most $x + e_j$ for all $1 \leq j \leq n$, where

$$x = \frac{\sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k - e_{\min}}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k}. \quad (10)$$

Hence, by Lemmas 1 and 3,

$$\begin{aligned} \text{LAG}(\tau', t_d, \mathcal{S}') &\leq \text{LAG}(\tau', t', \mathcal{S}') \\ &\leq x \cdot \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k + \sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k. \end{aligned} \quad (11)$$

By our assumption, the tardiness of $T_{i,\ell}$ exceeds $x + e_i$. Hence, by Lemma 2, $\text{LAG}(\tau', t_d, \mathcal{S}') > mx + e_i$, which by (11) implies $mx + e_i < x \cdot \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k + \sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k$, i.e., $x < \frac{\sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k - e_i}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k} \leq \frac{\sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k - e_{\min}}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k}$. This contradicts (10), and hence the theorem follows. ■

A sufficient condition on the individual task utilizations for a given tardiness bound that places no restriction on the total utilization can be derived from the above theorem and is given by the following corollary.

Corollary 1 *EDF ensures a tardiness of at most $x + e_i$ for every task T_i of a sporadic task system τ on m processors if the sum of the utilizations of the tasks in $\mathcal{U}_{\max}(m-1)$,*

$$\sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k, \text{ is at most } \frac{mx - \sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k + e_{\min}}{x} \text{ and } U_{\text{sum}}(\tau) \leq m.$$

Proof: By Theorem 1, the tardiness for task T_i of τ in an EDF schedule is at most $\frac{(\sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k) - e_{\min}}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k} + e_i$. Therefore, a tardiness not exceeding $x + e_i$ can be guaranteed if $\frac{(\sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k) - e_{\min}}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k} \leq x$ holds. On rearranging terms, we arrive at the condition in the corollary. ■

3.3 Improving Accuracy and Speed

In this subsection, we discuss possible improvements to the accuracy of the tardiness bound in Theorem 1 and the time required to compute it.

Improving the bound. Recall that in determining an upper bound on LAG in Lemma 3, we assumed that $m - 1$ tasks are executing in the maximally non-busy interval, and that each such task has the highest possible lag. However, using some additional reasoning, it can be shown that for LAG to increase across a non-busy interval, there should be at least one task that is active in the interval, but had

completed execution before the start of the interval (*i.e.*, β is non-empty). This fact can then be used to argue that at least one job executing at the end of the non-busy interval has its deadline at or beyond the end of the interval, and hence that the lag of its task is at most e_k , from which $x \sum_{T_k \in \mathcal{U}_{\max}(m-2)} u_k + \sum_{T_k \in \mathcal{E}_{\max}(m-1)} e_k$ follows as an upper bound on LAG. Therefore, an improved tardiness bound can be obtained by using $\sum_{T_k \in \mathcal{U}_{\max}(m-2)} u_k$ instead of $\sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k$ in (9). Similarly, it is sufficient to apply the utilization condition of Corollary 1 to tasks in $\mathcal{U}_{\max}(m-2)$. We will refer to the bound evaluated with $\mathcal{U}_{\max}(m-2)$ in (9) as **EDF-BASIC**.

Two-processor systems. With the reasoning described above, the upper bound on LAG given by Lemma 3 reduces to e_{\max} for $m = 2$, which is independent of x . Hence, unlike in the general case (*i.e.*, arbitrary m), we are not constrained to determine an x that would apply for all tasks, and it can be shown that tardiness for task T_i is at most $(e_{\max} - e_i)/2 + e_i$, which is at most e_{\max} .

If the time taken to compute a tardiness bound or sufficient task utilizations is not a concern, then some more improvement may be possible by relaxing another pessimistic assumption that we make in Lemma 3. We not only assume that the tasks that are executing at the end of the non-busy interval have the highest utilizations, but also that they have the highest execution costs. This can be relaxed by sorting tasks by non-increasing order of $x \cdot u_k + e_k$ (where as defined in Lemma 3, the tardiness of T_k is at most $x + e_k$) and by using the top $m - 2$ tasks, denoted $\mathcal{E}\text{-}\mathcal{U}(m - 2)$, in the expressions. (The $(m - 1)^{st}$ execution cost should be taken as the maximum of the execution costs of the remaining tasks.) If x is known, as in applying Corollary 1, then this procedure is straightforward. Nevertheless, even when seeking x , as in the proof of Theorem 1, an iterative procedure could be used. In this iterative procedure, the bound given by EDF-BASIC will be used as the initial value for x . This initial value will then be used to construct $\mathcal{E}\text{-}\mathcal{U}(m - 2)$, whose utilizations and execution costs should be used in improving x . The procedure should be continued until the task set $\mathcal{E}\text{-}\mathcal{U}(m - 2)$ converges. (It is easy to show that convergence is guaranteed.) We will refer to the bound computed using such an iterative procedure as **EDF-ITER**. This procedure is illustrated in the example below.

Example. Let τ be a task set comprised of the following 8 tasks scheduled under EDF on $m = 4$ processors: $T_1(15, 150)$ – $T_4(15, 150)$, $T_5(9, 10)$ – $T_8(9, 10)$. For this task set, $\mathcal{U}_{\max}(\tau, m - 2) = \{T_5, T_6\}$, $\mathcal{E}_{\max}(\tau, m - 1) = \{T_1, T_2, T_3\}$ (where ties are resolved by task indices), and $e_{\min} = 9$. Therefore, a tardiness bound for T_k obtained using EDF-BASIC is $(45 - 9)/(4 - 18/10) + e_k$, which equals $360/22 + e_k$. Thus, $x \approx 16.36$. Computing $x \cdot u_k + e_k$ for all the tasks, we obtain values of 16.636 for tasks T_1 – T_4 , and 23.727 for T_5 – T_8 . Hence, $\mathcal{E}\text{-}\mathcal{U}(m - 2) = \{T_5, T_6\}$. Using

the execution costs and utilizations of tasks in $\mathcal{E}\text{-}\mathcal{U}(m - 2)$ and 15 as the $(m - 1)^{st}$ execution cost, we obtain an improved value of 10.9 for x , which is more than 5 units less than the initial value. The tasks in $\mathcal{E}\text{-}\mathcal{U}(m - 2)$ are not altered in the next iteration, and so, the procedure terminates.

Improving computation time. Computing the tardiness bound or determining utilization restrictions on tasks for a given bound involves selecting $m - 1$ tasks with highest utilizations, and/or $m - 1$ tasks with highest execution costs, and summing the values. Hence, these are $O(n + m)$ computations. If speed is a concern, as in online admission tests, and if u_{\max} and e_{\max} are known, then $O(1)$ computations, which assume a utilization of u_{\max} and an execution cost of e_{\max} for each of the $m - 1$ tasks, and hence yield more pessimistic values, can be used. Under this assumption, tardiness under EDF is at most $((m - 1)e_{\max} - e_{\min})/(m - (m - 2)u_{\max}) + e_i$. Similarly, for a tardiness of at most $x + e_i$ for every T_i , it is sufficient that u_{\max} be at most $(mx - (m - 1)e_{\max} + e_{\min})/((m - 2)x)$. We will refer to the bound computed using u_{\max} and e_{\max} as **EDF-FAST**.

Tightness of the bound. As discussed in the introduction, we do not believe that our result for EDF is tight. However, we can show that our result is off by at most e_{\max} for small values of u_{\max} . For this, consider a task system τ comprised of a primary task $T_1(e_1, p_1)$ and $(m - u_1)p_1/\delta$ auxiliary tasks. Let $\delta \ll e_1$ and p_1 be the execution cost and period, respectively, of each auxiliary task. Let δ divide $(m - u_1)$ evenly and let p_1 be a multiple of m . Suppose the first job of each task is released at time zero and suppose the first job of every auxiliary task is scheduled before $T_{1,1}$ and executes for a full δ time units. In such a schedule, the auxiliary jobs will execute continuously until time $(\frac{(m - u_1)p_1}{\delta} \times \delta)/m = p_1 - e_1/m$ on each processor. Hence, T_1 will not begin executing until time $p_1 - e_1/m$, and hence would not complete until $p_1 + e_1(1 - 1/m)$ for a tardiness of $e_1(1 - 1/m)$. By choosing $e_1 = m$, this tardiness can be made to equal $e_1 - 1$. In this example, $e_{\max} = e_1$, and hence tardiness is at least $e_{\max} - 1$. Note that when u_{\max} is arbitrarily low, tardiness under EDF computed using EDF-FAST is at most $((m - 1) \cdot e_{\max})/m + e_{\max}$, and since e_1/p_1 can be arbitrarily low in the above example, our result is off by at most e_{\max} .

Earlier in this section, we noted that tardiness is at most e_{\max} for two-processor systems. The following is an example that shows that this result is tight. Let $T_1(1, 2)$, $T_2(1, 2)$, and $T_3(2k + 1, 2k + 1)$, where $k \geq 1$, be three periodic tasks all of whose first jobs are released at time zero. If deadline ties are resolved in favor T_1 and T_2 over T_3 , then on two processors, tardiness for jobs of T_3 can be as high as $2k$ time units. (If T_3 is favored, then its jobs can miss by $2k - 1$.) For this task set, estimated tardiness is $e_{\max} = 2k + 1$, and for large k , the difference between estimated and actual tardiness is negligible.




Figure 1. Priority inversion under NP-EDF. Intervals in which tasks T_3 and T_4 are blocked are indicated using a “B.” T_3 and T_4 are blocked by jobs $T_{1,1}$ and $T_{2,1}$ in $[2, 3)$. In addition, T_3 is blocked in $[4, 5)$, $[6, 7)$, and $[8, 9)$, while T_4 is blocked in $[3, 4)$, $[5, 6)$, and $[7, 8)$.

An empirical evaluation of the accuracy of the bounds is available in Sec. 4. Interestingly, we have found that tardiness can exceed e_{\max} even for task systems with u_{\max} near $1/2$. The following is one such task set: $T_1(1, 2)$ – $T_4(1, 2)$, $T_5(1, 5)$ – $T_7(1, 5)$, $T_8(1, 11)$, $T_9(34, 110)$, $T_{10}(23, 63)$, $T_{11}(7, 18)$ – $T_{12}(7, 18)$, $T_{13}(3, 7)$ – $T_{14}(3, 7)$. The total utilization of this task set is five. When scheduled on five processors with deadline ties resolved using task indices, a job of T_9 misses its deadline at time 7295 by $35 > 34 = e_{\max}$ time units. (The EDF-BASIC and EDF-ITER bounds for this task set are 54 and 51.78, respectively.) Hence, the best bound that can be hoped for an arbitrary task set definitely exceeds e_{\max} .

3.4 A Tardiness Bound for NP-EDF

In this subsection, a tardiness bound is derived for NP-EDF. The analysis required for NP-EDF differs slightly from that of EDF due to *priority inversions*.

Priority inversions, blocked jobs, and blocking jobs. Under NP-EDF, once scheduled, each job continues to execute until completion without any interruption. Therefore, a job arriving at time t , even if ready at t and has a deadline that is earlier than some other job executing at t , cannot preempt the lower-priority job. If no processor is available at t , then this will lead to a *priority inversion*. In such a scenario, the waiting ready, higher-priority job is referred to as a *blocked job*, and the executing lower-priority job as a *blocking job*. Task T_i is said to be *blocked* at t if T_i is not executing at t and the earliest pending job (*i.e.*, the ready job) of T_i has a higher priority than at least one job executing at t . Fig. 1 gives an example. Here, because job $T_{4,2}$ is executing in $[4, 5)$, task T_4 is not blocked in $[4, 5)$ even though job $T_{4,3}$, which has a higher priority than $T_{2,1}$, is not executing. (Similarly, $T_{4,3}$ is not blocked in $[4, 5)$ because

it is not ready.)

Under EDF, jobs with deadlines later than t_d do not interfere with jobs with deadlines at most t_d . Hence in Sec. 3.2 (Theorem 1), while determining an upper bound on LAG at t_d in order to derive a tardiness bound for an arbitrary job with a deadline at t_d under EDF, it was sufficient to consider a concrete task system comprised of jobs with deadlines at most t_d . However, under NP-EDF, due to the possibility of priority inversions, not all jobs with deadlines later than t_d can be ignored from the concrete task systems that we work with. Let τ be a concrete task system and let Ψ denote the set of all jobs of tasks in τ with deadlines at most t_d . Then, to determine a tardiness bound for a job with a deadline at t_d , we need an estimate of the amount of work pending at t_d for jobs in Ψ . However, because not every job in τ has deadline at most t_d , using an upper bound on LAG of τ at t for this would be inaccurate. To see this, let \mathcal{S} be the schedule in Fig. 1. Letting $t_d = 4$ in this example, we have $\Psi = \{T_{3,1}, T_{3,2}, T_{4,1}, T_{4,2}\}$. The amount of work pending for Ψ at t_d is equal to the amount of work pending for $T_{4,2}$, which is one. However, since the lags of T_1 through T_4 are $-1.2, 0.2, 0,$ and 1 , in that order, $\text{LAG}(\tau, t_d, \mathcal{S}) = \sum_{i=1}^n \text{lag}(T_i, t_d, \mathcal{S}) = 0$ holds. Thus, because tasks of blocking jobs *may* have negative lags, the LAG of τ may be an underestimate of the amount of work pending for Ψ . To deal with this, we extend the notion of lag to apply to jobs and job sets, and determine the lag of jobs in Ψ at t_d . Finally, since a job not in Ψ that commences execution before t_d may execute after t_d , an estimate on the amount of such blocking work pending at t_d is also required. To properly handle this, we formally define intervals in which jobs not in Ψ may be executing and the amount of work pending for such blocking jobs at any time t . We begin by formally defining lag for jobs.

Lag for jobs. The notion of lag can be applied to a job or a set of jobs in an obvious manner. Just as with tasks, we will use the terms lag and LAG to denote the lag of an individual job and that of a set of jobs, respectively. Let τ denote a concrete task system and Ψ a subset of jobs in τ . Let $A(\text{PS}_\tau, T_{i,j}, t_1, t_2)$ and $A(\mathcal{S}, T_{i,j}, t_1, t_2)$ denote the allocations to $T_{i,j}$ in $[t_1, t_2)$ in PS_τ and \mathcal{S} respectively. (These values will depend on $t_1, t_2, r_{i,j}$, and $d_{i,j}$.) Then, $\text{lag}(T_{i,j}, t, \mathcal{S}) = A(\text{PS}_\tau, T_{i,j}, r_{i,j}, t) - A(\mathcal{S}, T_{i,j}, r_{i,j}, t)$, and LAG of Ψ at t can be defined analogously to the definition in (4) as $\text{LAG}(\Psi, t, \mathcal{S}) = \sum_{T_{i,j} \in \Psi} \text{lag}(T_{i,j}, t, \mathcal{S})$. The total allocation in $[0, t)$, where $t > 0$, to a job that is neither pending at t^- in \mathcal{S} nor is active at t^- is the same in both \mathcal{S} and PS_τ , and hence, its lag at t is zero. Therefore, for $t > 0$, we have the following.

$$\text{LAG}(\Psi, t, \mathcal{S}) = \sum_{\substack{T_{i,j} \text{ is in } \Psi, \text{ and is pending or active at } t^-}} \text{lag}(T_{i,j}, t, \mathcal{S}).$$

The above expression for LAG of Ψ can be expressed in terms of lags of tasks in τ as follows.

$$\text{LAG}(\Psi, t, \mathcal{S}) \leq \sum_{\{T_i \in \tau : T_{i,j} \text{ is in } \Psi, \text{ and is pending or active at } t^-\}} \text{lag}(T_i, t, \mathcal{S}).$$

The next definition identifies intervals in which jobs in Ψ are blocked. In this definition and in the rest of the paper, Ψ is to be taken as the set of all jobs of tasks in τ with deadlines at most t_d .

Definition 4 (blocking interval): An interval $[t_1, t_2)$ in \mathcal{S} , where $0 \leq t_1 < t_2 \leq t_d$ and \mathcal{S} is a schedule for τ , is said to be a *blocking interval* for Ψ , if at least one job of Ψ is blocked in $[t_1, t_2)$ by a job not in Ψ , *i.e.*, a job with a deadline exceeding t_d . $[t_1, t_2)$ is said to be *maximally blocking*, if every instant in $[t_1, t_2)$ is a blocking instant, and either $t_1 = 0$ or t_{1-} is non-blocking.

Definition 5 (pending blocking jobs (\mathcal{B}) and work (B)): The set of all jobs, of tasks in τ , not in Ψ , that block one or more jobs of Ψ at t^- and may continue to execute at t in \mathcal{S} is denoted $\mathcal{B}(\tau, \Psi, t, \mathcal{S})$ and the total amount of time that the jobs in $\mathcal{B}(\tau, \Psi, t, \mathcal{S})$ will execute beyond t , *i.e.*, the total amount of work pending for those jobs at t , is denoted $B(\tau, \Psi, t, \mathcal{S})$. The set of all jobs, of tasks in τ , not in Ψ , that can block some job in Ψ under NP-EDF at some time is denoted $\mathcal{B}(\tau, \Psi, \text{NP-EDF})$, or simply \mathcal{B} , when the parameters are obvious.

Non-busy interval categories. With respect to Ψ , an interval $[t_1, t_2)$ is said to be *busy* only if every processor is executing some job of Ψ throughout the interval. With this definition, it is easy to see that the LAG of Ψ can increase only across a non-busy interval, and so Lemma 1 applies to Ψ also in a schedule for τ . Also note that by this definition, a blocking interval for Ψ is also a non-busy interval for Ψ . However, not every instant in which a job in \mathcal{B} is executing need be a blocking instant. For example, in Fig. 1, if $t_d = 4$, then $T_{1,1}$ and $T_{2,1}$ are not in Ψ . Therefore, $[1, 2)$ is a non-busy interval for Ψ . However, $[1, 2)$ is not a blocking interval, because no job of Ψ is awaiting execution in $[1, 2)$. Thus, a non-busy interval in an NP-EDF schedule for $\Psi \cup \mathcal{B}$ can be classified as either (i) a *blocking, non-busy interval* or (ii) a *non-blocking, non-busy interval*.

Differences in reasoning. Our approach for deriving a tardiness bound for NP-EDF differs from that used for EDF in the following. (In this description, every non-busy interval (blocking or non-blocking) is to be taken to be maximal, unless otherwise stated. We refrain from explicitly saying so for conciseness.)

By Lemma 1, we know that the LAG of Ψ can increase only across a non-busy interval (not necessarily maximal), and hence, to determine an upper bound on LAG at t_d it is sufficient to determine an upper bound at the end of the latest non-busy interval. As discussed above, a non-busy




Figure 2. Reasoning required for NP-EDF.

interval for Ψ in an NP-EDF schedule is either blocking or non-blocking. Therefore, to determine an upper bound on the LAG of Ψ at t_d , we determine an upper bound on LAG at the end of the last blocking, non-busy interval, or the last non-blocking, non-busy interval, whichever is later. For example, consider the two schedules in Fig. 2 and assume that the intervals marked are the only non-busy intervals in $[t_1, t_d)$. In Fig. 2(a), $[t_4, t_d)$ is the latest non-busy interval. Within this interval, subinterval $[t_4, t_5)$ is non-blocking, while $[t_5, t_d)$ is blocking. Therefore, we will determine an upper bound for LAG at t_d by considering $[t_5, t_d)$. Similarly, in Fig. 2(b), an upper bound on LAG will be determined at t_7 by considering interval $[t_6, t_7)$. Next, because every job of Ψ that is not executing in a non-blocking, non-busy interval is either not pending, or pending but not ready (because a prior job is executing), the procedure for determining LAG at the end of a such an interval is identical to that used for EDF in Lemma 3. (In Lemma 3, we showed that the lag of a task that does not execute throughout a non-busy interval is at most zero.) However, since throughout a non-busy interval that is blocking, there is at least one task whose ready job in Ψ is not executing, the lag of a task that is not executing in a blocking non-busy interval cannot be taken to be zero. For example, in Fig. 2(a), J_5 is not executing in $[t_5, t_d)$ and the lag of its task at t_d is positive. Therefore, the procedure for determining LAG is slightly different in this case.

A blocking job with a deadline later than t_d , that is executing but is incomplete at t_d , will continue to execute beyond t_d , which will delay the execution of pending jobs in Ψ . Hence, in order to determine a tardiness bound for a job in Ψ , apart from an upper bound on the amount of work pending for jobs in Ψ at t_d , *i.e.*, $\text{LAG}(\Psi, t_d, \mathcal{S})$, we also need to determine an upper bound on the total amount of work pending for the jobs that are blocking those of Ψ at t_d , *i.e.*, $B(\tau, t_d, \mathcal{S})$. In our example in Fig. 2(a), assuming that J_2 is the only pending blocking job at t_d , we will also need an estimate of the amount of time that J_2 will execute after t_d . In Fig. 2(b), the amount of pending work for jobs in \mathcal{B} is positive at t_6 , while it is zero at and after t_7 . Note

that unless the latest non-busy instant is t_d , the amount of blocking work that is pending at t_d will be zero.

As with EDF, we then determine a lower bound on the sum of the blocking work B and the LAG of Ψ at t_d that is necessary for the tardiness of a job with deadline at t_d to exceed a given value, and an upper bound on the maximum value for the same that is possible with a given task set. Finally, we use these to obtain a tardiness bound. The lemma that follows parallels Lemma 2 and its proof is similar.

Lemma 4 *Let τ be a concrete sporadic task system and let Ψ denote the set of all jobs with deadlines at most t_d of tasks in τ . Let \mathcal{B} and B be as defined in Def. 5. Let $U_{sum} \leq m$ and let the tardiness of every job of T_k with deadline less than t_d be at most $x + e_k$, where $x \geq 0$, for all $1 \leq k \leq n$ in an NP-EDF schedule \mathcal{S} for τ on m processors. Let $LAG(\Psi, t_d, \mathcal{S}) + B(\tau, \Psi, t_d, \mathcal{S}) \leq mx + e_i$, where $t_d = d_{i,j}$, for some $1 \leq i \leq n$. Then, $tardiness(T_{i,j}, \mathcal{S}) \leq x + e_i$.*

An upper bound on $LAG(\Psi, t', \mathcal{S}) + B(\tau, \Psi, t', \mathcal{S})$, where t' is the end of a maximally non-busy interval, is given by the next lemma. Its proof is only slightly different from that of Lemma 3, and is available in [10].

Lemma 5 *Let τ , Ψ , and \mathcal{B} be as defined in Lemma 4. Let \mathcal{S} be an NP-EDF schedule for τ on m processors and let $[s, t')$, where $0 \leq s < t' \leq t_d$, be a maximally non-busy interval for Ψ in $[0, t_d)$ in \mathcal{S} , such that either $t' = t_d$ or t' is busy. Let the tardiness in \mathcal{S} of every job of T_i with a deadline less than t_d be at most $x + e_i$, where $x \geq 0$ for all $1 \leq i \leq n$. Then, $LAG(\Psi, t', \mathcal{S}) + B(\tau, \Psi, t', \mathcal{S})$ is at most $x \cdot \sum_{T_i \in \mathcal{U}_{\max}(m-1)} u_i + \sum_{T_i \in \mathcal{E}_{\max}(m)} e_i$.*

Lemmas 4 and 5 can be used to establish the following.

Theorem 2 *NP-EDF ensures a tardiness of at most $\frac{(\sum_{T_k \in \mathcal{E}_{\max}(m)} e_k) - e_{\min}}{m - \sum_{T_k \in \mathcal{U}_{\max}(m-1)} u_k} + e_i$ on m processors for every task T_i of a sporadic task system τ with $U_{sum}(\tau) \leq m$.*

Corollary 2 *NP-EDF ensures a tardiness of at most $x + e_i$ for every task T_i of a sporadic task system τ on m processors, if the sum of the utilizations of the tasks in $\mathcal{U}_{\max}(m-1)$ is at most $\frac{mx - \sum_{T_k \in \mathcal{E}_{\max}(m)} e_k + e_{\min}}{x}$ and $U_{sum}(\tau) \leq m$.*

We denote the tardiness bound given by Theorem 2 as NP-EDF-BASIC. As with EDF, a less-pessimistic bound, denoted NP-EDF-ITER, can be obtained using an iterative procedure, and a more-pessimistic bound, denoted NP-EDF-FAST, can be computed in constant time.

It is known that the tardiness bound for a task system with $U_{sum} = 1$ is e_{\max} under NP-EDF on a uniprocessor. However, the bound obtained using Theorem 2 is $e_{\max} - e_{\min} + e_k$ for T_k , which may be higher than e_{\max} . The tight bound of e_{\max} can be shown to hold by treating $m = 1$ as a special case in the proof of Theorem 2.

4 Experimental Evaluation

In this section, we describe the results of two sets of simulation experiments conducted using randomly-generated task sets to evaluate the accuracy of the tardiness bounds for EDF and NP-EDF derived in Sec. 2.

The first set of experiments compares the tardiness bounds given by EDF-BASIC and NP-EDF-BASIC and their fast (EDF-FAST and NP-EDF-FAST) and iterative (EDF-ITER and NP-EDF-ITER) variants for 4, 8, and 16 processors (m). For each m , 10^6 task sets were generated. For each task set, new tasks were added as long as total utilization was less than m . For each task T_i , first its utilization u_i was generated as a uniform random number between $(0, y]$, where y was fixed at 0.1 for the first 100,000 task sets, and was incremented in steps of 0.1 for every 100,000 task sets. T_i 's execution cost was chosen as a uniform random number in the range $(0, 20]$. For each task set, the maximum tardiness of any task and the average of the maximum tardiness of all tasks as given by the six bounds (three each for EDF and NP-EDF) were computed. The mean maximum tardiness is plotted for $m = 4$ and $m = 8$ in Fig. 3 as a functions of u_{avg} and e_{avg} , where u_{avg} denotes the average of the $m - 2$ highest utilizations and e_{avg} that of the $m - 1$ highest execution costs. (Mean average tardiness is around $e_{avg}/2$ time units less.) The descriptions of the plots can be found in the caption of the figure. The rest of this section discusses the results in some detail.

Comparison of BASIC and FAST. For $m = 4$, the difference between BASIC and FAST is negligible for EDF, but is quite considerable for NP-EDF at high values of u_{avg} and e_{avg} . This is due to an additional e_{\max} term in the numerator and a negative u_{\max} term in the denominator of NP-EDF-FAST. The difference widens with m for both EDF and NP-EDF for high u_{avg} . For $m = 8$, NP-EDF-FAST is almost twice as much as NP-EDF-BASIC. For EDF, the difference seems to be tolerable at $m = 8$, but EDF-FAST increases to close to 100% higher than EDF-BASIC for $m = 16$ (not shown here). Overall, FAST appears to yield good results for small m and small u_{avg} or e_{avg} .

Comparison of BASIC and ITER. The difference between ITER and BASIC is almost the same as that between BASIC and FAST for EDF for $m = 4$, but is lower for NP-EDF. The difference increases with increasing m for both EDF and NP-EDF. This is because there is not much increase in ITER with increasing m .

Comparison of EDF and NP-EDF. While there is a large difference between the FAST versions of EDF and NP-EDF, which widens with increasing m , the difference between EDF-ITER and NP-EDF-ITER is much less and narrows with increasing m . The peak difference between the ITER versions, which is less than 20 time units, occurs for $m = 4$, $0.9 < u_{avg} \leq 1.0$, and $19 < e_{avg} \leq 20$ (see inset (c)). At low utilizations, the difference is around five




Figure 3. Comparison of the three bounds derived for EDF and NP-EDF for (a)–(c) $m = 4$ and (d)–(f) $m = 8$. Tardiness bounds as a function of e_{avg} for (a) & (d) $0.7 < u_{avg} \leq 0.8$, and for (b) & (e) $0.2 < u_{avg} \leq 0.3$, and as a function of u_{avg} for (c) & (f) $19 < e_{avg} \leq 20$. Comparison of EDF-ITER and NP-EDF-ITER to tardiness observed in actual EDF and NP-EDF schedules for (g) & (h) $m = 4$, and for (i) $m = 8$. (The order of the legends and curves coincide in all the graphs.)

time units for $m = 4$ and three time units for $m = 8$. The difference between the BASIC versions is also not much and decreases with m . Furthermore, these results assume the same worst-case execution costs for both EDF and NP-EDF, whereas in practice the estimates for NP-EDF will be lower due to the absence of job preemptions and migrations. This should further close the gap between the two.

Though not shown here, we also plotted the tardiness bounds by u_{avg} for low and medium values of e_{avg} , and found that in comparison to the plots in insets (c) and (f), all the bounds are proportionately reduced.

Comparison of ITER to actual tardiness. The experiments in the second set compare the bounds estimated by EDF-ITER and NP-EDF-ITER, the best bounds derived,

to actual tardiness observed under EDF and NP-EDF, respectively. In this case, 100,000 task sets were generated for each m . For each task set, the tardiness bounds given by EDF-ITER and NP-EDF-ITER were computed. Also, an EDF and an NP-EDF schedule were generated for each task set for 20,000 and 50,000 time units, respectively, and the maximum tardiness observed in each schedule was noted. (Though we have found tardiness to increase even after these time limits, we were forced to constrain the experiments due to restrictions on available time.) Plots of the average of the estimated and observed values for task sets grouped by e_{avg} and u_{avg} are shown in insets (g)–(i) of Fig. 3. For medium values of e_{avg} , the estimates are twice as much as the observed values, with the difference increasing with increasing execution costs. It is somewhat surprising that actual tardiness does not increase much with increasing e_{avg} and that it decreases in some cases.

5 Conclusion

We have derived tardiness bounds under preemptive and non-preemptive global EDF for sporadic real-time task systems on multiprocessors, when the total utilization of a task system is not restricted, but may equal the number of processors, m . These results should help in improving the effective system utilization when soft real-time tasks that can tolerate bounded deadline misses but require guarantees on the long-run fraction of the processing time allocated are multiplexed on a multiprocessor.

Our task model can alternatively be viewed as one in which the relative deadline of each task is greater than its period by an amount that is dependent on the parameters of the task system. Our conditions that check if a tardiness bound can be guaranteed can then be used as schedulability tests for such task systems. While it is possible to extend the EDF schedulability tests derived in prior research discussed in the introduction to task systems with relative deadlines greater than periods, it does not seem likely that such extensions would allow total utilization to equal m even when per-task utilizations are low and relative deadlines are large.

One limitation of our approach is that the tardiness bound that can be guaranteed to each task is fixed and is dependent on task parameters. The problem of guaranteeing arbitrary and different tardiness bounds to different tasks remains to be explored.

References

- [1] J. Anderson, V. Bud, and U. Devi. An EDF-based scheduling algorithm for multiprocessor soft real-time systems. In *Proc. of the 17th Euromicro Conference on Real-time Systems*, pages 199–208, July 2005.
- [2] B. Andersson, S. Baruah, and J. Jonsson. Static priority scheduling on multiprocessors. In *Proc. of the 22nd Real-time Systems Symposium*, pages 193–202, December 2001.
- [3] T. P. Baker. Multiprocessor EDF and deadline monotonic schedulability analysis. In *Proc. of the 24th IEEE Real-time Systems Symposium*, pages 120–129, Dec. 2003.
- [4] S. Baruah. The non-preemptive scheduling of periodic tasks upon multiprocessors. Technical Report TR02-025, Department of Computer Science, The University of North Carolina, 2002. To appear in *Real-Time Systems*.
- [5] S. Baruah. Optimal utilization bounds for the fixed-priority scheduling of periodic task systems on identical multiprocessors. *IEEE Transactions on Computers*, 53(6):781–784, 2004.
- [6] S. Baruah, N. Cohen, C.G. Plaxton, and D. Varvel. Proportionate progress: A notion of fairness in resource allocation. *Algorithmica*, 15:600–625, 1996.
- [7] M. Bertogna, M. Cirinei, and G. Lipari. Improved schedulability analysis of EDF on multiprocessor platforms. In *Proc. of the 17th Euromicro Conference on Real-time Systems*, July 2005.
- [8] J. Carpenter, S. Funk, P. Holman, A. Srinivasan, J. Anderson, and S. Baruah. A categorization of real-time multiprocessor scheduling problems and algorithms. In Joseph Y. Leung, editor, *Handbook on Scheduling Algorithms, Methods, and Models*, pages 30.1–30.19. Chapman Hall/CRC, Boca Raton, Florida, 2004.
- [9] U. Devi and J. Anderson. Improved conditions for bounded tardiness under EPDF fair multiprocessor scheduling. In *Proc. of the 12th International Workshop on Parallel and Distributed Real-time Systems*, April 2004.
- [10] U. Devi and J. Anderson. Tardiness bounds for global EDF scheduling on a multiprocessor (extended version). Available at <http://www.cs.unc.edu/~anderson/papers.html>, May 2005.
- [11] S. K. Dhall and C. L. Liu. On a real-time scheduling problem. *Operations Research*, 26(1):127–140, 1978.
- [12] J. Goossens, S. Funk, and S. Baruah. Priority-driven scheduling of periodic task systems on multiprocessors. *Real-Time Systems*, 25(2-3):187–205, 2003.
- [13] C.L. Liu and J.W. Layland. Scheduling algorithms for multiprogramming in a hard-real-time environment. *Journal of the Association for Computing Machinery*, 20(1):46–61, 1973.
- [14] L. Sha, T. Abdelzaher, K.-E. Arzen, A. Cervin, T. Baker, A. Burns, G. Buttazzo, M. Caccamo, J. Lehoczky, and A.K. Mok. Real time scheduling theory: A historical perspective. *Real-Time Systems*, 28(2/3):101–155, November/December 2004.
- [15] A. Srinivasan and J. Anderson. Efficient scheduling of soft real-time applications on multiprocessors. In *Proc. of the 15th Euromicro Conference on Real-time Systems*, pages 51–59, July 2003.
- [16] A. Srinivasan and S. Baruah. Deadline-based scheduling of periodic task systems on multiprocessors. *Information Processing Letters*, 84(2):93–98, 2002.