

Implementing Pfairness on a Symmetric Multiprocessor*

Philip Holman and James H. Anderson
University of North Carolina, Chapel Hill, NC 27599-3175

Abstract

We consider the implementation of a Pfair scheduler on a symmetric multiprocessor (SMP). Simulations presented herein suggest that bus contention resulting from simultaneous scheduling decisions can substantially degrade performance. To correct this problem, we propose a *staggered* model for Pfair scheduling under which scheduling points are uniformly distributed over time.

1 Introduction

Recent research on real-time multiprocessor scheduling has shown that global scheduling provides many advantages over partitioning approaches, including improved schedulability and flexibility [1, 2, 13]. Furthermore, these benefits can be achieved without incurring significantly more (worst-case) overhead [15]. However, there remain questions as to whether global scheduling can achieve comparable average-case performance.

Though partitioning provides many performance advantages, such as improved cache performance (on average) and low scheduling overhead, it is inherently suboptimal: some systems are schedulable only when migration is permitted. In addition, optimal partitioning methods are costly. Thus, in on-line settings, suboptimal heuristics must be employed. Furthermore, the actual benefit obtained from characteristics like improved cache performance can be difficult to determine analytically. Hence, many of the advantages of partitioning do not benefit worst-case analysis.

Proportionate-fair (Pfair) scheduling [3] is a particularly promising global-scheduling approach. Indeed, Pfair scheduling is presently the only known optimal means for scheduling periodic, sporadic, and rate-based tasks on a multiprocessor [13]. Hence, Pfair scheduling is seemingly well-suited for systems in which worst-case predictability is required. However, some aspects of Pfair scheduling may degrade performance and have led to questions regarding its practicality. These aspects are discussed in detail below.

First, Pfair scheduling is based on synchronized *tick* (or *quantum-based*) scheduling. Scheduling points occur periodically and, at each point, all processors are

simultaneously scheduled. If a scheduled task yields before the next scheduling point, then that task is still charged for the unused processor time and the processor is idled. Fig. 1(a) illustrates this characteristic.

Second, Pfair scheduling uses *weighted round-robin* scheduling to track the allocation of processor time in a *fluid* schedule, *i.e.*, a schedule in which each task executes at a constant rate. This achieves theoretical optimality, but at the cost of more frequent context switching. In practice, this cost is undesirable since it may increase scheduling overhead (depending on the quantum size) and reduces cache performance. Fig. 1(b) shows a Pfair schedule, the corresponding fluid schedule, and a schedule with minimal switching.

Finally, task migration is unrestricted under Pfair scheduling. In the worst case, a task may be migrated each time it is scheduled. In practice, this may also negatively impact cache performance.

In recent work, we have extended Pfair scheduling to address the above concerns and to enable its implementation and eventual comparison to partitioning. These extensions include task synchronization mechanisms [7, 8], techniques for accounting for system overheads [15], and support for hierarchical scheduling [6, 7, 8, 9]. To evaluate Pfair scheduling and its extensions, we have developed a Pfair prototype (from which we obtained some of the results presented later) that runs on a bus-based symmetric multiprocessor (SMP). This choice of platform follows from the fact that tight coupling is needed to keep preemption and migration






Figure 1: (a) Two scheduled tasks yield before the next scheduling point. (b) Relationship between a Pfair schedule (middle), the corresponding fluid schedule (upper), and a schedule that minimizes context switching (lower).

*Work supported by NSF grants CCR 9988327, ITR 0082866, CCR 0204312, and CCR 0309825, and by a grant of software provided by the QNX corporation.



(a) Aligned Model



(b) Staggered Model

Figure 2: Each graph shows the bus load across three scheduling points in an eight-processor system using blocking caches. Graphs show contention (a) under the aligned model, the (b) under the (proposed) staggered model.

overhead low. In addition, the worst-case cost of a migration is effectively the same as that of a preemption under a cache-based SMP.

Contributions of this paper. In this paper, we show how Pfair scheduling actually *promotes* bus contention, and then propose an alternative scheduling model that strives to avoid this problem. The contention problem stems for the fact that a preempted task may encounter a cold cache when it resumes. Since bus traffic increases while reloading data into the cache, scheduling *all* processors simultaneously can result in very heavy bus contention at the start of each quantum. The worst-case duration of this contention grows with both the processor count and working-set sizes.

Fig. 2(a) illustrates this contention on eight processors. The number of pending bus requests across three scheduling points (*i.e.*, spanning three quanta) are shown. In this experiment, each task was given an array that matched the cache’s size and it simply wrote to each cache line iteratively. As shown, heavy contention follows each scheduling point. Other results, presented later, suggest that such contention can significantly lengthen the execution times of tasks.

The primary contribution of this paper is a new *staggered* model for Pfair scheduling that more uniformly distributes these predictable bursts of bus traffic. Results of simulations and experimental measurements obtained from our prototype system suggest that this model can significantly reduce bus contention and hence improve performance. This model provides the additional benefit that scheduling overhead can be distributed across processors, thereby reducing the per-processor overhead. Our second contribution is an efficient distributed scheduling algorithm for the staggered model and an evaluation of its performance. Finally, we characterize the impact of the new model on prior results and explain how these results can be modified for

use under the new model.

Fig. 3(b) shows the proposed staggered model alongside the traditional *aligned* model. Repeating the earlier experiment using the staggered model results in dramatically lower contention, as shown in Fig. 2(b). Under the aligned model, all scheduling decisions are made by processor 1 (see Fig. 3(a)). As a result, cycles are lost due to stalling the other processors. Under the staggered model, each processor can make its own scheduling decision (see Fig. 3(b)). By avoiding processor stalls, both the worst-case and average-case scheduling overhead is reduced.

Related work. Unfortunately, little (if any) prior work has considered techniques for improving performance in multiprocessor systems that require worst-case predictability. Available techniques are typically based on heuristics and lack supporting analysis (*e.g.*, affinity-based scheduling algorithms). Without analysis, these solutions are not appropriate for hard real-time systems, which are the primary focus of our work. Techniques for optimizing Pfair scheduling for a general-purpose environment (again, without supporting analysis) were previously proposed by Chandra, Adler, and Shenoy [5].




Figure 3: (a) Aligned model: processors are simultaneously scheduled; all decisions are made on a single processor. (b) Staggered model: scheduling points are uniformly distributed; each processor can make its own decision.

In the rest of the paper, Pfair scheduling is summarized (Sec. 2), staggered scheduling is discussed (Sec. 3), its impact on prior work is considered (Sec. 4), and experimental results are presented (Sec. 5).

2 Background

In this section, Pfair scheduling is formally defined and previous work is summarized.

2.1 Basics of Pfair Scheduling

Let τ denote a set of N tasks to be scheduled on M processors. Each task $T \in \tau$ is assigned a rational *weight* $T.w$ in the range $(0,1]$. Conceptually, $T.w$ is the rate at which T should be executed, relative to the speed of a single processor. Pfair scheduling algorithms allocate processor time in discrete time units called *quanta*. The time interval $[t, t + 1)$, where $t \geq 0$, is called *slot* t . In each slot, each processor can be assigned to at most one task and each task can be assigned to at most one processor. Task migration is allowed.

Scheduling decisions are based on comparing each task’s allocation to that granted in an ideal (fluid) system. Ideally, a task T receives $T.w \cdot L$ units of processor time in any interval of length L . The concept of tracking the ideal system is formalized by the notion of *lag*. Letting $A(T, t)$ denote the number of quanta allocated to task T over the time interval $[0, t)$, the *lag* of T at t can be formally defined as $lag(T, t) = T.w \cdot t - A(T, t)$. A schedule respects Pfairness if and only if the magnitude of all task lags is strictly less than one always, *i.e.*, $(\forall T, t :: |lag(T, t)| < 1)$. As shown in [3], a schedule respecting Pfairness exists if and only if $\sum_{T \in \tau} T.w \leq M$.

The above lag constraint effectively sub-divides each task T into a series of evenly distributed quantum-length *subtasks*. Let T_i denote the i^{th} subtask of T . Fig. 4(a) shows the time-slot interval (or *window*) in which each subtask must execute to achieve Pfairness when $T.w = 3/10$. For example, T_2 ’s window spans slots 3 through 6: T_2 is said to be *released* at time 3 and to have a *deadline* at time 7.

At present, PF [3], PD [4], and PD² [2] are the only known optimal Pfair scheduling algorithms. These algorithms prioritize subtasks on an earliest-deadline-first basis, but differ in the choice of (non-trivial) tie-breaking rules. Since the PD² prioritization is the most efficient, we assume its use. For our purposes, it is sufficient to know that PD² priorities can be determined and compared in constant time.

Model specifications. Let $t(i, k)$ denote the time (in quanta) at which the i^{th} scheduling point occurs on processor k , where $0 \leq k < M$. The aligned model is then defined by the expression $t(i, k) = i$, while the staggered model is defined by $t(i, k) = i + \frac{k}{M}$.

2.2 Extensions

We now discuss relevant extensions to Pfair scheduling.

Increased flexibility. Srinivasan and Anderson [1, 13] introduced three variants of Pfairness. They also proved that PD² correctly schedules each variant whenever the total weight does not exceed the processor count. *Early-release* fairness (ERfairness) allows subtasks to execute before their Pfair release times, provided that they are prioritized by their Pfair deadlines. *Intra-sporadic* fairness (ISfairness) extends ERfairness by allowing windows to be right-shifted (*i.e.*, delayed relative to their Pfair placement). However, the relative separation between each pair of windows must be at least that guaranteed under Pfairness. Finally, *generalized intra-sporadic* fairness (GISfairness) extends ISfairness by allowing subtasks to be omitted. Fig. 4 illustrates these variants. In addition to these variants, Srinivasan and Anderson also derived conditions under which tasks may leave and join a system [14].

Supertasking. *Supertasks* were first proposed to support the static assignment of tasks to processors [12]. Each supertask represents a set of *component* tasks, which are scheduled as a single entity. Whenever a supertask is scheduled, one of its component tasks is selected to execute according to an internal scheduling algorithm. In previous work, we presented algorithms for deriving supertask weights from component task sets using either quantum-based [6] or event-driven [9] scheduling. In addition to hierarchical-scheduling support, supertasks also provide a means to selectively restrict which tasks may execute in parallel. Such restrictions can be imposed to reduce the worst-case contention for shared resources, as demonstrated in [7, 8].

Synchronization. In other prior work, we developed techniques for supporting lock-free [7] and lock-based [8] synchronization under Pfair scheduling. For lock-based synchronization, we presented two approaches: timer-based and server-based protocols. Timer-based protocols are designed to delay short critical sections that are at risk of being preempted before completion. Hence, this approach exploits the quantum-based nature of Pfair scheduling to ensure that tasks will never hold locks while preempted. On the other hand, the server-based protocol uses a simple client-server model in which a server task executes all critical sections guarded by its associated locks.

Comparison with partitioning. Unfortunately, Pfair scheduling is still underdeveloped relative to partitioning approaches. For instance, I/O mechanisms are yet to be developed. To determine whether further development of Pfair scheduling was warranted, we conducted a study of scheduling overhead and schedu-




Figure 4: The windowing for a task with weight $T.w = 3/10$ is shown under a variety of circumstances. (a) Normal windowing used by a Pfair task. (b) Early releases have been added to the windowing in (a) so that each grouping of three subtasks becomes eligible simultaneously. (In reality, each subtask will not become eligible until its predecessor is scheduled.) (c) Windows appear as in (b) except that T_2 's release is now preceded by an intra-sporadic delay of six slots. (T_5 and T_6 are not shown.) (d) Windows appear as in (c) except that T_3 is now absent.

liability loss based on analysis and simulation [15]. We found that the schedulability loss is comparable under both approaches and that Pfair scheduling does *not* incur prohibitively high scheduling overhead. We also noted several benefits to using Pfair scheduling, including efficient synchronization across processors, support for dynamic task sets, and stronger temporal isolation.

3 Scheduling Algorithm

In this section, we present an efficient scheduling algorithm for the staggered model. Due to space limitations, only procedures needed to support Pfair or ERfair scheduling of static task sets are discussed here. The omitted procedures are discussed in detail in the full version of the paper [10].

Back-to-back scheduling. Under staggering, quanta from different slots can overlap, as the A3 and B1 quanta shown in Fig. 3(b) (see Sec. 1). To ensure that tasks scheduled *back-to-back* (*i.e.*, in consecutive slots) are not granted overlapping quanta, affinity-based processor assignment is used. Specifically, tasks can be migrated only after preemptions. Hence, back-to-back scheduling results in re-assignment to the same processor. Such policies can also improve cache performance. When used with supertasks, the improvement can be substantial, *i.e.*, the cache performance of a heavily weighted supertask approaches that of a dedicated uniprocessor.

Concept. Consider scheduling slot t on the first processor after executing task T in slot $t - 1$. To be computationally efficient, the scheduler must require only $O(\log N)$ time on each processor. (PD² schedules all M processors in $O(M \log N)$ time [13].) In addition, the

decision must respect the guarantee described above if T is scheduled back-to-back. However, identifying all tasks scheduled in slot t is an $\Omega(M)$ operation.

The implication is that the tasks scheduled in slot t must be identified *before* invoking the scheduler at the start of slot t . To achieve this, our algorithm divides scheduling into two steps: (i) up to M tasks (if that many are eligible) are selected to execute in slot t and stored in t 's *scheduling set*, and (ii) each processor later selects a task to execute from those in t 's scheduling set. To ensure that t 's scheduling set is known at the start of slot t , Step (i) is actually performed *one slot early* (*i.e.*, by the scheduler invocations in slot $t - 1$).

3.1 Basic Algorithm

We now present procedures needed to support Pfair or ERfair scheduling of static task sets (shown in Fig. 5).

Data structures. When scheduling slot t , tasks scheduled in slot t (respectively, $t + 1$) are stored in the *Now* (respectively, *Next*) heaps. The *Sched* (respectively, *Resched*) heaps store tasks that are not (respectively, are) scheduled back-to-back. The *Eligible* heap stores all remaining tasks that are eligible in slot $t + 1$. All heaps are ordered according to task priorities. (The \preceq and \succeq relations, which define this ordering, are defined below.) In addition, the *Incoming*[t] heap stores tasks that will not be eligible to execute until slot t . (We present these heaps as an unbounded array solely to simplify the presentation.) We assume that each task is initially stored in the appropriate *Incoming* heap.

Each task is represented by a record that contains (at least) the earliest slot in which the task may next execute (*elig*) and the task's current priority (*prio*). We assume that task priorities are implemented as an ab-

```

typedef task:
  record
    elig: integer;
    prio: ADT

shared var
  t: integer initially  $-1$ ;
  SchedCount: integer initially  $M$ ;
  Running: array  $1 \dots M$  of task  $\cup \{\perp\}$  initially  $\perp$ ;
  SchedNow: min-ordered heap of task initially  $\emptyset$ ;
  ReschedNow: min-ordered heap of task initially  $\emptyset$ ;
  SchedNext: min-ordered heap of task initially  $\emptyset$ ;
  ReschedNext: min-ordered heap of task initially  $\emptyset$ ;
  Eligible: max-ordered heap of task initially  $\emptyset$ ;
  Incoming: array  $0 \dots \infty$  of max-ordered heap of task

private var
  p:  $1 \dots M$ ; T: task  $\cup \{\perp\}$ 

procedure Initialize()
1: Eligible := Eligible  $\cup$  Incoming[0];
2: while  $|Eligible| > 0 \wedge |SchedNext| < M$  do
3:   SchedNext := SchedNext  $\cup$  Extract-Max(Eligible)
  do

procedure SelectTask(T)
4: if  $T \in S_t$  then
5:   ReschedNext := ReschedNext  $\cup$   $\{T\}$ 
  else
6:   SchedNext := SchedNext  $\cup$   $\{T\}$ 
  fi

procedure Schedule(p)
7: if SchedCount =  $M$  then
8:    $t := t + 1$ ;
9:   Eligible := Eligible  $\cup$  Incoming[ $t + 1$ ];
10:  Swap(SchedNow, SchedNext);
11:  Swap(ReschedNow, ReschedNext)
  fi;
12: if Running[p]  $\in$  ReschedNow then
13:   T := Running[p];
14:   ReschedNow := ReschedNow /  $\{T\}$ 
15: else if  $|SchedNow| > 0$  then
16:   T := Extract-Min(SchedNow)
  else
17:   T :=  $\perp$ 
  fi;
18: Running[p] := T;
19: if  $T \neq \perp$  then
20:   UpdatePriority(T);
21:   if  $T.elig \leq t + 1$  then
22:     Eligible := Eligible  $\cup$   $\{T\}$ 
  else
23:     Incoming[T.elig] := Incoming[T.elig]  $\cup$   $\{T\}$ 
  fi
24: if  $|Eligible| > 0$  then
25:   SelectTask(Extract-Max(Eligible))
  fi;
26: SchedCount := (SchedCount mod  $M$ ) + 1

```

Figure 5: Basic staggered scheduling algorithm.

stract data type that supports the \prec , \preceq , \succ , and \succeq comparisons, where $\rho_1 \prec \rho_2$ (respectively, $\rho_1 \preceq \rho_2$) implies that priority ρ_1 is strictly lower than (respectively, lower than or equal to) priority ρ_2 . We further assume that `UpdatePriority()` encapsulates the algorithm for updating *prio* and *elig*.

The remaining variables include two counters (t and *SchedCount*) and the *Running* array. t is the index of the current slot. *SchedCount* indicates the number of scheduler invocations that have been performed for slot t . Finally, the *Running* array indicates which task is currently executing on each processor.

To simplify presentation, some branches test for set inclusion (\in) and the branch at line 4 uses S_t to denote the set of tasks selected to execute in slot t . All of these tests can be implemented in $O(1)$ time complexity and $O(N)$ space complexity by associating a few additional variables with each task.

Detailed description. `Initialize` is invoked before all other procedures and schedules slot 0. First, tasks present at time 0 are merged into the *Eligible* heap at line 1. Lines 2–3 then make the scheduling decisions.

`SelectTask` schedules a task T in slot $t + 1$. Line 4 determines whether T is scheduled back-to-back. T is then stored in the proper heap in lines 5–6.

`Schedule(p)` is invoked to schedule processor p . Lines 8–11 initialize a round of scheduler invocations by incrementing t , by merging newly eligible tasks into

Eligible, and by initializing *SchedNow*, *ReschedNow*, *SchedNext*, and *ReschedNext*. Lines 12–18 select the task to execute on processor p and record the decision. The task is then updated and stored according to the priority of its successor subtask in lines 20–23. Lines 24–25 then select a task to execute in the slot $t + 1$. Finally, progress is recorded by updating *SchedCount* at line 26.

3.2 Time complexity

Since task priorities can be updated and compared in constant time, the only significant complexity results from heap operations. Each procedure performs a constant number of heap operations and a constant number of calls to other procedures. Therefore, the time complexity of each procedure is $O(\log N)$ when using binomial heaps and PD^2 task priorities, and the aggregate time complexity of M scheduler invocations is $O(M \log N)$. Hence, the presented algorithm is computationally efficient.

Recall that under the aligned model, all scheduling decisions are made on a single processor, resulting in $O(M \log N)$ time complexity on that processor. The per-processor overhead under the staggered model is proportional to the time required by one invocation of `Schedule`, which has only $O(\log N)$ time complexity. This suggests that the staggered model can provide up to a factor-of- M improvement with respect to schedul-




Figure 6: Illustration of event timing under the (a) aligned and (b) staggered models. Events in slot t may not occur before time $t + 1$ under staggering. Hence, a task can be scheduled in slot $t + 1$ before suspending in slot t .

ing overhead. (The actual improvement will depend on the system architecture, as we later show.)

4 Impact on Analysis

We now discuss how staggering impacts prior results.

Side effects. A staggered slot extends up to $\Delta = \frac{M-1}{M}$ beyond its placement when aligned. Hence, slot i on a processor may overlap slots $i + 1$ and $i - 1$ on other processors, which leads to the following side effects.

- (E1) An event occurring at t under the aligned model may be delayed until $t + \Delta$ under staggering.
- (E2) Each quantum overlaps $M - 1$ other quanta when aligned, but $2(M - 1)$ when staggered.

Basic analysis. Consider independent-task scheduling. Independent tasks are oblivious to the execution of other tasks and, hence, are unaffected by (E2). (E1), on the other hand, has two implications.

First, deadlines guaranteed under the aligned model may be missed by up to Δ under staggering. Deadlines can be strictly enforced by increasing each task's weight so that each strict deadline occurs one slot earlier than its true position. The resulting loss depends on the task's parameters: a task T requiring a quanta every b slots will need $T.w = \frac{a}{b}$ under the aligned model, but $T.w = \frac{a}{b-1}$ under staggering.

Second, events (such as suspension requests) occurring in slot t may occur *after* time $t + 1$, at which point the decisions for slot $t + 1$ are committed. Hence, a suspending task (scheduled back-to-back) may occasionally cause a quantum to be wasted, as illustrated in Fig. 6. Server tasks that suspend when no requests are pending will likely be most impacted by this property since worst-case analysis must pessimistically assume that a quantum is wasted upon each suspension.

Supertasking. In [6, 9], a supertask weight is cho-

sen by comparing the least amount of processor time guaranteed to a supertask to the total processor-time requirement of all component tasks. Only the first of these two quantities requires adjustment due to staggering, and is independent of (E2).

The primary impact of (E1) is that the amount of processor time guaranteed to the supertask is slightly lower under staggering. As in the case of independent tasks, this delay may result in bounded (component-task) deadline misses. Strict deadlines can be guaranteed by simply applying the analysis presented in [9] with an adjusted estimate of the amount of processor time granted to the supertask.

Lock-free synchronization. Lock-free operations are optimistically attempted and retried until successful. A bound on retry overhead can be derived by determining the worst-case number of failures. The analysis presented in [7] assumes that (i) a failure implies the success of a competing operation, and (ii) each operation is short enough to be preempted at most once. By (i), the number of failures experienced by some task T due to parallel interference within a slot is bounded by the number of operations that can be performed in parallel within that slot. Hence, under the aligned model, it is sufficient to assume that the worst-case mix of $M - 1$ interfering tasks executes in parallel with T . By (E2), similar reasoning can still be applied under staggering; however, $2(M - 1)$ tasks must now be considered.

Timer-based lock synchronization. Two timer-based locking protocols are presented in [8]. Each delays lock-requesting operations that are at risk of being preempted until the start of a new quantum. (See [8] for details.) This action prevents preemptions from lengthening the duration of time that a lock is held. Both protocols guarantee that only executing tasks can hold locks, and hence can block a requesting task T . As in the lock-free case, this analysis assumes that each task T can be preempted at most once before an operation completes. Hence, $2(M - 1)$ interfering tasks must be considered here as well.

Server-based lock synchronization. A server-based approach that uses a FIFO-ordered request queue is also presented in [8]. Since the analysis assumes that every competing task has its request executed before the requesting task T , the worst-case time required to process T 's request is unaffected by (E1) and (E2). However, since both the requesting task and lock server may suspend under this protocol, they may suffer from the suspension-related problems mentioned earlier.

Trade-off. Staggering represents a trade-off between off-line schedulability and on-line performance. Of the costs mentioned above, those related to suspensions and

synchronization will likely be the highest in practice.

As mentioned in Sec. 1, a task that yields before the next scheduling point is charged for the unused processor time. Frequent suspensions will likely lead to both poor task performance and low utilization. Hence, tasks exhibiting such behaviors should *not* be Pfair-scheduled. Indeed, this observation was a driving motivation behind our work on supertasking [9], which allows such tasks to be scheduled *as a group* rather than individually. The benefit is that the global scheduler sees only the supertask, which never suspends, while component tasks can be scheduled using a uniprocessor algorithm that is more flexible (with respect to suspensions). Given the availability of mechanisms to help avoid this problem, suspensions are expected to occur infrequently in the global schedule and, hence, should contribute little to the actual cost of staggering.

Similarly, synchronization at the global level should be limited to lock-free and timer-based locking synchronization. As shown in [7, 8], these approaches tend to result in very low overhead in practice. Since staggering at most doubles this overhead, the cost of synchronization should remain relatively low under staggering.

Based on this reasoning, staggering is expected to result in only slight schedulability loss in practice. More importantly, experimental results presented in the next section suggest that substantial performance gains can be achieved through staggering. These gains translate into decreased execution times, which are beneficial in both the average and worst case. We expect the losses considered in this section to be exceeded by the gains provided by these decreased execution requirements.

5 Experimental Results

This section contains an experimental evaluation of staggering and the proposed scheduling algorithm.

5.1 Simulations

In this subsection, we present a simulation-based comparison of the Pfair models. The advantage of simulation over direct measurement is that the processor count can be varied and the cache characteristics can be set arbitrarily. The latter trait was used to test performance on a simple blocking cache.

Experimental setup. These experiments used the Limes [11] simulator. Limes simulates execution close to the hardware level. As such, it provides no process management. However, Limes permits hardware-level aspects of the system to be more easily controlled than more complex simulators. Due to the limitations of Limes, preemption effects were only simulated. Specifically, caches were initially filled with dirty lines. Each task then performed writes to a local array until a “pre-

emption” was detected. Tasks reacted to preemptions by exchanging their arrays for other uncached local ones. Hence, the cold-cache effect of preemptions was simulated using working-set changes.

We consider processor counts in the range [1, 16] and report behavior across three slots. The system consisted of 200 MHz i86 processors using a 10 millisecond quantum. Caching consisted of blocking, direct-mapped caches with 256 KB capacity and 32-byte lines. The MESI coherency protocol was used. Since our goal was to measure only preemption-related contention, both actual and false data sharing was avoided.

Bus contention was measured by counting pending bus requests at each cycle. Since only one request could be serviced in each cycle, the presence of k requests implied that $k - 1$ tasks wasted that cycle waiting for bus access. Cycles required to service a task’s bus requests were *not* counted as wasted cycles.

Relevance. These simulations focus on simultaneously scheduled tasks that process large data sets. Consideration of this scenario is motivated by the fact that many real-time multiprocessor systems consist of significant numbers of such tasks. Signal-processing and virtual-reality systems are two examples. Hence, we believe that these scenarios do represent situations that can arise in practice.


Worst-case contention under the aligned model.

The first experiment estimated the worst-case bus contention under the aligned model (when working sets are fully cacheable). (This experiment does *not* characterize the worst case for staggering.) The worst case occurs when each task writes to each cache line in its working set at the start of each quantum. Fig. 7(a) shows the average number of cycles lost per task.


Notice that both curves converge as the processor count increases, which indicates an overload of the bus. When tasks fail to completely load their working sets within a single quantum, the resulting traffic pattern is approximately uniform across every quantum. As a result, staggering provides no benefit. Hence, increasing the volume of bus traffic must eventually cause performance under both models to converge.

Random-access contention. Our second experiment measured performance under a random-access pattern when working-set sizes vary. Each task randomly selects cells to access from a fraction α of the full array. This behavior results in a burst of bus traffic at the start of each slot, followed by a gradual decline as the probability of referencing an uncached line decreases. The value of α was chosen from $\{ 0.2k \mid 1 \leq k \leq 5 \}$.


Results are shown in Fig. 7(b)–(c). As shown, staggering produces significantly less loss in all cases. This experiment was repeated several times, producing vir-



(a) Worst Case for Aligned Model



(b) Random Access: Aligned Model



(c) Random Access: Staggered Model

Figure 7: Cycles lost to bus contention. (a) Working sets completely fill the cache; lines are systematically written. (b)–(c) Working set sizes vary; lines are randomly written.

tually identical results. (These simulations were unfortunately too long to produce confidence intervals.)

5.2 Prototype Measurements

In this subsection, we present a comparison of the staggered and aligned models using our Pfair prototype.

Experimental setup. The prototype microkernel ex-

ecutes as a thread package within QNX Neutrino 6.2.¹ The system consists of four 200 MHz Pentium Pro processors, each of which has a 4-way, 512 KB L2 cache. These processors provide several latency-hiding features, including out-of-order execution, branch prediction, non-blocking caches, and support for multiple pending bus operations. Hence, this experiment will demonstrate whether staggering can improve upon simply applying common hardware-based techniques. Staggering should provide a much greater benefit to systems with fewer latency-hiding features.

Both experiments described in the previous section were conducted on the prototype. Due to the hardware complexity, performance was measured at the user level by calculating the average number of cycles per write operation in each quantum.

Results. Results are shown in Fig. 8. The upper two graphs in the left (respectively, right) column show the average number of cycles per write under the linear-access (respectively, random-access) reference pattern. 99% confidence intervals were computed, but are omitted due to scale. (Marked intervals show the observed sample range.) As shown, staggering provides an increasing improvement until the array size reaches approximately 150 KB, at which point overload occurs.

The two graphs at the bottom of Fig. 8 show the ratios of corresponding sample means from the other graphs. As shown, up to 7 (respectively, 2.5) times more writes were performed under the staggered model with the linear-access (respectively, random-access) pattern. Recall that this comparison is on a platform *with* latency-hiding features: improvement should be more dramatic without such features.

5.3 Scheduling Overhead

In the final series of experiments, the per-slot scheduling overhead of the algorithm from Sec. 3 was compared to that of the master/slave PD² algorithm from [1].

Experimental setup. Each experiment described below tested 1,000 randomly generated sets of independent tasks for each pairing of $N \in \{10n \mid 1 \leq n \leq 50\}$ and $M \in \{2, 4, 8, 16\}$. From the execution-time measurements, the ratio of the average per-slot overhead of the master/slave algorithm to that of the staggered algorithm was computed. Again, 99% confidence intervals were computed, but are omitted due to scale.

Warm cache. In the first experiment, we considered performance when scheduler invocations are performed iteratively on a uniprocessor (a 700-MHz Dell PC running Red Hat Linux 2.4). After a warm-up delay, all memory references hit in cache. This experi-

¹The prototype takes control of the system when running. Neutrino was selected specifically to support this approach.





Figure 8: Results of linear- (left) and random-access (right) experiments conducted in the prototype Pfair system.

ment approximates the best-case performance of each algorithm. Architectures with highly effective latency-hiding features should provide comparable performance on average. Fig. 9(a) shows the results from this experiment. As shown, the staggered algorithm approaches, and often matches, the factor-of- M improvement suggested by its time complexity.


Cold cache. Due to idealized cache behavior, the previous experiment provides no insight into how the algorithms perform on simpler architectures or in worst-case situations. To provide more realistic estimates, we performed a second comparison on an SGI Reality Monster with 32 300-MHz R10000 processors in which multiple copies of the scheduler were distributed on

the processors. Control was then transferred between these copies at appropriate points so that the scheduler would encounter a (somewhat) cold cache.² Under master/slave (respectively, staggered) scheduling, these transfers occurred after each scheduler (respectively, **Schedule**) invocation. Fig. 9(b) shows the results from this experiment. Caching effects close the performance gap substantially compared to the previous experiment. Despite this, staggering still provides a significant improvement. Indeed, since each invocation of **Schedule** makes fewer memory references than the master/slave

²There is no way to accurately predict the cache states that a scheduler will encounter in a real system. We chose this approach because it seemed reasonable and straightforward to implement.



(a) Ideal Latency Hiding



(b) Realistic Caching

Figure 9: Ratio of the average per-slot scheduling overhead of master/slave scheduling to that of staggered scheduling. Measurements reflect performance (a) when all memory latency is hidden, and (b) when realistic caching is assumed.

algorithm, staggered scheduling should *never* produce more overhead, regardless of the platform. However, the magnitude of the improvement may vary significantly, as these experiments suggest.

6 Conclusion

Although SMPs are well-suited to Pfair scheduling in many ways, experimental results presented herein suggest that preemption-related bus contention can significantly degrade performance. To address this problem, we proposed and demonstrated the effectiveness of a staggered model under which preemption-related bus traffic is more evenly distributed over time. Furthermore, we developed and experimentally evaluated an efficient scheduling algorithm to support this model that also produces less scheduling overhead than current Pfair algorithms. Finally, we explained how existing results can be applied, with minor modification, to the proposed model. In future work, we intend to extend our Pfair prototype to enable an empirical comparison to the partitioning approach.

Acknowledgement: The authors would like to thank Prashant Shenoy for providing feedback on this work.

References

- [1] J. Anderson and A. Srinivasan. Early-release fair scheduling. In *Proc. of the 12th Euromicro Conf. on Real-time Systems*, pp. 35–43, 2000.
- [2] J. Anderson and A. Srinivasan. Mixed Pfair/ERfair scheduling of asynchronous periodic tasks. In *Proc. of the 13th Euromicro Conf. on Real-time Systems*, pp. 76–85, 2001.
- [3] S. Baruah, N. Cohen, C.G. Plaxton, and D. Varvel. Proportionate progress: A notion of fairness in resource allocation. *Algorithmica*, 15:600–625, 1996.
- [4] S. Baruah, J. Gehrke, and C. G. Plaxton. Fast scheduling of periodic tasks on multiple resources. In *Proc. of the 9th Int'l Parallel Processing Symp.*, pp. 280–288, 1995.
- [5] A. Chandra, M. Adler, and P. Shenoy. Deadline fair scheduling: Bridging the theory and practice of proportionate fair scheduling in multiprocessor systems. In *Proc. of the 7th IEEE Real-time Technology and Applications Symp.*, 2001.
- [6] P. Holman and J. Anderson. Guaranteeing Pfair supertasks by reweighting. In *Proc. of the 22nd IEEE Real-time Systems Symp.*, pp. 203–212, 2001.
- [7] P. Holman and J. Anderson. Object sharing in Pfair-scheduled multiprocessor systems. In *Proc. of the 14th Euromicro Conf. on Real-time Systems*, pp. 111–120, 2002.
- [8] P. Holman and J. Anderson. Locking in Pfair-scheduled multiprocessor systems. In *Proc. of the 23rd IEEE Real-time Systems Symp.*, pp. 149–158, 2002.
- [9] P. Holman and J. Anderson. Using hierarchal scheduling to improve processor utilization in multiprocessor Real-time systems. In *Proc. of the 15th Euromicro Conf. on Real-time Systems*, pp. 41–50, 2003.
- [10] P. Holman and J. Anderson. Implementing Pfairness on a symmetric multiprocessor. Available at <http://www.cs.unc.edu/~anderson/papers.html>.
- [11] I. Ikodinovic, D. Magdic, A. Milenkovic, and V. Milutinovic. Limes: a multiprocessor simulation environment for PC platforms. In *Proc. of the 3rd Int'l Conf. on Parallel Processing and Applied Mathematics*, pp. 398–412, 1999.
- [12] M. Moir and S. Ramamurthy. Pfair scheduling of fixed and migrating periodic tasks on multiple resources. In *Proc. of the 20th IEEE Real-time Systems Symp.*, pp. 294–303, 1999.
- [13] A. Srinivasan and J. Anderson. Optimal rate-based scheduling on multiprocessors. In *Proc. of the 34th Annual ACM Symp. on Theory of Computing*, pp. 189–198, 2002.
- [14] A. Srinivasan and J. Anderson. Fair scheduling of dynamic task systems on multiprocessors. Presented at the *11th Int'l Workshop on Parallel and Distributed Real-time Systems*, 2003.
- [15] A. Srinivasan, P. Holman, J. Anderson, and S. Baruah. The case for fair multiprocessor scheduling. Presented at the *11th Int'l Workshop on Parallel and Distributed Real-time Systems*, 2003.