



# Cache Structure



- Replacement policies
  - Overhead
  - Implementation
- Handling writes
- Cache simulations

# Basic Caching Algorithm



ON REFERENCE TO Mem[X]: Look for X among cache tags...

**HIT:**  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ );  
Write to Mem[X]

**MISS:** X not found in TAG of any cache line


REPLACEMENT ALGORITHM:

Select some LINE  $k$  to hold Mem[X] (Allocation)

READ: Read Mem[X]  
Set TAG( $k$ )=X, DATA( $k$ )=Mem[X]

WRITE: Write to Mem[X]  
Set TAG( $k$ )=X, DATA( $k$ )= write data

# Basic Caching Algorithm



ON REFERENCE TO Mem[X]: Look for X among cache tags...


**HIT:**  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ );  
Write to Mem[X]

**MISS:** X not found in TAG of any cache line

Today's  
focus



**REPLACEMENT ALGORITHM:**

Select some LINE  $k$  to hold Mem[X] (Allocation)


READ: Read Mem[X]  
Set TAG( $k$ )=X, DATA( $k$ )=Mem[X]

WRITE: Write to Mem[X]  
Set TAG( $k$ )=X, DATA( $k$ )= write data


# Continuum of Associativity

Fully associative

Direct-mapped



- compares addr with all tags simultaneously
- location A can be stored in any cache line




- compare addr with only one tag
- location A can be stored in exactly one cache line

# Continuum of Associativity


Fully associative

N-way set associative


Direct-mapped



- compares addr with all tags simultaneously
- location A can be stored in any cache line




- compares addr with N tags simultaneously
- Data can be stored in any of the N cache lines belonging to a "set"
- like N Direct-mapped caches



- compare addr with only one tag
- location A can be stored in exactly one cache line


# Continuum of Associativity

← Fully associative      N-way set associative      Direct-mapped →




- compares addr with all tags simultaneously
- location A can be stored in any cache line

**ON A MISS?**



- compares addr with N tags simultaneously
- Data can be stored in any of the N cache lines belonging to a "set"
- like N Direct-mapped caches




- compare addr with only one tag
- location A can be stored in exactly one cache line

# Continuum of Associativity

Fully associative

N-way set associative


Direct-mapped




- compares addr with all tags simultaneously
- location A can be stored in any cache line

**ON A MISS?**

**Allocates a cache entry**




- compares addr with N tags simultaneously
- Data can be stored in any of the N cache lines belonging to a "set"
- like N Direct-mapped caches



- compare addr with only one tag
- location A can be stored in exactly one cache line

# Continuum of Associativity


← Fully associative      N-way set associative      Direct-mapped →



- compares addr with all tags simultaneously
- location A can be stored in any cache line


**ON A MISS?**

**Allocates a cache entry**



- compares addr with N tags simultaneously
- Data can be stored in any of the N cache lines belonging to a "set"
- like N Direct-mapped caches

**Allocates a line in a set**



- compare addr with only one tag
- location A can be stored in exactly one cache line




# Continuum of Associativity

← Fully associative

N-way set associative


→ Direct-mapped



- compares addr with all tags simultaneously
- location A can be stored in any cache line


**ON A MISS?**

**Allocates a cache entry**



- compares addr with N tags simultaneously
- Data can be stored in any of the N cache lines belonging to a "set"
- like N Direct-mapped caches

**Allocates a line in a set**



- compare addr with only one tag
- location A can be stored in exactly one cache line

**Only one place to put it**

# Three Replacement Strategies

## LRU (Least-recently used)

- replaces the item that has gone UNACCESSED the LONGEST
- favors the most recently accessed data

## FIFO/LRR (first-in, first-out/least-recently replaced)

- replaces the OLDEST item in cache
- favors recently loaded items over older STALE items

## Random

- replace some item at RANDOM
- no favoritism – uniform distribution
- no “pathological” reference streams causing worst-case results
- use pseudo-random generator to get reproducible behavior

# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is *updated on every access*. Example for N = 4:

Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	

# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is *updated on every access*. Example for N = 4:

Current Order (0,1,2,3)	Action Hit 2	Resulting Order (2,0,1,3)
----------------------------	-----------------	------------------------------


# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:

Current Order  
(0,1,2,3)

Action  
Hit 2


Resulting Order  
(2,0,1,3)



# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:


Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	



# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:


Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	(1,2,0,3)



# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:

Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	(1,2,0,3)
(1,2,0,3)	Miss, Replace 3	






# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:


Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	(1,2,0,3)
(1,2,0,3)	Miss, Replace 3	( <b>3</b> ,1,2,0)



# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:


Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	(1,2,0,3)
(1,2,0,3)	Miss, Replace 3	( <b>3</b> ,1,2,0)
(3,1,2,0)	Hit 3	



# Keeping Track of LRU

- Needs to keep ordered list of N items for an N-way associative cache, that is **updated on every access**. Example for N = 4:


Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	(1,2,0,3)
(1,2,0,3)	Miss, Replace 3	( <b>3</b> ,1,2,0)
(3,1,2,0)	Hit 3	(3,1,2,0)



# Keeping Track of LRU

- Needs to keep ordered list of  $N$  items for an  $N$ -way associative cache, that is **updated on every access**. Example for  $N = 4$ :

Current Order	Action	Resulting Order
(0,1,2,3)	Hit 2	(2,0,1,3)
(2,0,1,3)	Hit 1	(1,2,0,3)
(1,2,0,3)	Miss, Replace 3	( <b>3</b> ,1,2,0)
(3,1,2,0)	Hit 3	(3,1,2,0)




- $N!$  possible orderings  $\rightarrow \log_2 N!$  bits per set  
approx  **$O(N \log_2 N)$  “LRU bits”** + update logic

# Example: LRU for 2-Way Sets

- **Bits needed?**
- **LRU bit is selected using the same index as cache (Part of same SRAM)**
- **Bit keeps track of the last line accessed in set:**


(0), Hit 0 -> (0)  
(0), Hit 1 -> (1)  
(0), Miss, replace 1 -> (1)  
(1), Hit 0 -> (0)  
(1), Hit 1 -> (1)  
(1), Miss, replace 0 -> (0)



# Example: LRU for 2-Way Sets

- Bits needed?  $\log_2 2! = 1$  per set
- LRU bit is selected using the same index as cache (Part of same SRAM)
- Bit keeps track of the last line accessed in set:

(0), Hit 0 -> (0)  
(0), Hit 1 -> (1)  
(0), Miss, replace 1 -> (1)  
(1), Hit 0 -> (0)  
(1), Hit 1 -> (1)  
(1), Miss, replace 0 -> (0)



# Example: LRU for 4-Way Sets

- **Bits needed?**
- **How?**
- **One Method:**  
    **“One-Out/Hidden Line” coding (and variants)**

*Directly encode the indices of the N-2 most recently accessed lines, plus one bit indicating if the smaller (0) or larger (1) of the remaining lines was most recently accessed*

$(2,0,1,3) \rightarrow 10\ 00\ 0$

$(3,2,1,0) \rightarrow 11\ 10\ 1$

$(3,2,0,1) \rightarrow 11\ 10\ 0$

*Requires  $(N-2)*\log_2 N + 1$  bits*

*– 8-Way sets?  $\log_2 8! = 16$ ,  $(8-2)*\log_2 8 + 1 = 19$*

# Example: LRU for 4-Way Sets

- **Bits needed?**  $\log_2 4! = \log_2 24 = 5$  per set
- How?
- One Method:  
    “One-Out/Hidden Line” coding (and variants)

Directly encode the indices of the N-2 most recently accessed lines, plus one bit indicating if the smaller (0) or larger (1) of the remaining lines was most recently accessed

(2,0,1,3) -> 10 00 0

(3,2,1,0) -> 11 10 1

(3,2,0,1) -> 11 10 0

Requires  $(N-2) \cdot \log_2 N + 1$  bits

– 8-Way sets?  $\log_2 8! = 16$ ,  $(8-2) \cdot \log_2 8 + 1 = 19$



# Example: LRU for 4-Way Sets

- **Bits needed?**  $\log_2 4! = \log_2 24 = 5$  per set
- How?
- One Method:  
    “One-Out/Hidden Line” coding (and variants)

Directly encode the indices of the  $N-2$  most recently accessed lines, plus one bit indicating if the smaller (0) or larger (1) of the remaining lines was most recently accessed

(2,0,1,3) -> 10 00 0

(3,2,1,0) -> 11 10 1

(3,2,0,1) -> 11 10 0

Requires  $(N-2) \cdot \log_2 N + 1$  bits

– 8-Way sets?  $\log_2 8! = 16$ ,  $(8-2) \cdot \log_2 8 + 1 = 19$

Overhead is  
 $O(N \log_2 N)$   
bits/set

# Example: LRU for 4-Way Sets

- Bits needed?  $\log_2 4! = \log_2 24 = 5$  per set
- How?
- One Method:  
    “One-Out/Hidden Line” coding (and variants)

Directly encode the indices of the N-2 most recently accessed lines, plus one bit indicating if the smaller (0) or larger (1) of the remaining lines was most recently accessed

(2,0,1,3) -> 10 00 0  
(3,2,1,0) -> 11 10 1  
(3,2,0,1) -> 11 10 0

Requires  $(N-2) \cdot \log_2 N + 1$  bits

– 8-Way sets?  $\log_2 8! = 16$ ,  $(8-2) \cdot \log_2 8 + 1 = 19$

Bottom line, LRU replacement requires considerable overhead as associativity increases




Overhead is  $O(N \log_2 N)$  bits/set

# FIFO Replacement

- Each set keeps a modulo-N counter that points to victim line that will be replaced on the next miss
- Counter is only **updated only on cache misses**

Ex: for a 4-way set associative cache:

Next Victim	Action
(0)	Miss, Replace 0
(1)	Hit 1
(1)	Miss, Replace 1
(2)	Miss, Replace 2
(3)	Miss, Replace 3
(0)	Miss, Replace 0




# FIFO Replacement

- Each set keeps a modulo-N counter that points to victim line that will be replaced on the next miss
- Counter is only **updated only on cache misses**

Ex: for a 4-way set associative cache:

Next Victim	Action
(0)	Miss, Replace 0
(1)	Hit 1
(1)	Miss, Replace 1
(2)	Miss, Replace 2
(3)	Miss, Replace 3
(0)	Miss, Replace 0




Overhead is  
 $O(\log_2 N)$   
bits/set

# Example: FIFO For 2-Way Sets

- Bits needed?  $\log_2 2 = 1$  per set
- FIFO bit is per cache line and uses the same index as cache (Part of same SRAM)
- Bit keeps track of the oldest line in set
- Same overhead as LRU!
- LRU is generally has lower miss rates than FIFO, soooo....

WHY BOTHER???



# FIFO For 4-way Sets

- **Bits Needed?**
- **Low-cost, easy to implement (no tricks here)**
- **8-way?**
- **16-way?**
- **LRU 16-way?**
  
- **FIFO summary**
  - **Easy to implement, scales well,  
BUT CAN WE AFFORD IT?**

# FIFO For 4-way Sets

- Bits Needed?  $\log_2 4 = 2$  per set
- Low-cost, easy to implement (no tricks here)
- 8-way?
- 16-way?
- LRU 16-way?
  
- FIFO summary
  - Easy to implement, scales well,  
BUT CAN WE AFFORD IT?

# FIFO For 4-way Sets

- Bits Needed?  $\log_2 4 = 2$  per set
- Low-cost, easy to implement (no tricks here)
- 8-way?  $\log_2 8 = 3$  per set
- 16-way?
- LRU 16-way?
  
- FIFO summary
  - Easy to implement, scales well,  
BUT CAN WE AFFORD IT?



# FIFO For 4-way Sets

- Bits Needed?  $\log_2 4 = 2$  per set
  - Low-cost, easy to implement (no tricks here)
  - 8-way?  $\log_2 8 = 3$  per set
  - 16-way?  $\log_2 16 = 4$  per set
  - LRU 16-way?
- 
- FIFO summary
    - Easy to implement, scales well,  
BUT CAN WE AFFORD IT?

# FIFO For 4-way Sets

- Bits Needed?  $\log_2 4 = 2$  per set
- Low-cost, easy to implement (no tricks here)
- 8-way?  $\log_2 8 = 3$  per set
- 16-way?  $\log_2 16 = 4$  per set
- LRU 16-way?  
 $\log_2 16! = 45$  bits per set
- FIFO summary
  - Easy to implement, scales well,  
BUT CAN WE AFFORD IT?


# FIFO For 4-way Sets

- Bits Needed?  $\log_2 4 = 2$  per set
- Low-cost, easy to implement (no tricks here)
- 8-way?  $\log_2 8 = 3$  per set
- 16-way?  $\log_2 16 = 4$  per set
- LRU 16-way?
  - $\log_2 16! = 45$  bits per set
  - $14 * \log_2 16 + 1 = 57$  bits per set
- FIFO summary
  - Easy to implement, scales well,  
BUT CAN WE AFFORD IT?

# FIFO For 4-way Sets

- Bits Needed?  $\log_2 4 = 2$  per set
- Low-cost, easy to implement (no tricks here)
- 8-way?  $\log_2 8 = 3$  per set
- 16-way?  $\log_2 16 = 4$  per set
- LRU 16-way?  
 $\log_2 16! = 45$  bits per set  
 $14 * \log_2 16 + 1 = 57$  bits per set
- FIFO summary
  - Easy to implement, scales well,  
BUT CAN WE AFFORD IT?

I'm starting to  
buy into all  
that "big O"  
stuff!




# Random Replacement

- Build a single Pseudorandom Number generator for the **WHOLE** cache. On a miss, roll the dice and throw out a cache line at random.
- Updates only on misses.
- How do you build a random number generator (easier than you might think).



# Random Replacement



- Build a single Pseudorandom Number generator for the **WHOLE** cache. On a miss, roll the dice and throw out a cache line at random.
- Updates only on misses.
- How do you build a random number generator (easier than you might think).



**Pseudorandom Linear Feedback Shift Register**

# Random Replacement

- Build a single Pseudorandom Number generator for the **WHOLE** cache. On a miss, roll the dice and throw out a cache line at random.
- Updates only on misses.
- How do you build a random number generator (easier than you might think).



**Pseudorandom Linear Feedback Shift Register**


Counting Sequence			
11111	0x1F	01000	0x08
01111	0x0F	10100	0x14
00111	0x07	01010	0x0A
10011	0x13	10101	0x15
11001	0x19	11010	0x1A
01100	0x0C	11101	0x1D
10110	0x16	01110	0x0E
01011	0x0B	10111	0x17
00101	0x05	11011	0x1B
10010	0x12	01101	0x0D
01001	0x09	00110	0x06
00100	0x04	00011	0x03
00010	0x02	10001	0x11
00001	0x01	11000	0x18
10000	0x10	11100	0x1C
		11110	0x1E

# Random Replacement

- Build a single Pseudorandom Number generator for the **WHOLE** cache. On a miss, roll the dice and throw out a cache line at random.
- Updates only on misses.
- How do you build a random number generator (easier than you might think).



Overhead is  $O(\log_2 N)$  bits/cache!



**Pseudorandom Linear Feedback Shift Register**

Counting Sequence			
11111	0x1F	01000	0x08
01111	0x0F	10100	0x14
00111	0x07	01010	0x0A
10011	0x13	10101	0x15
11001	0x19	11010	0x1A
01100	0x0C	11101	0x1D
10110	0x16	01110	0x0E
01011	0x0B	10111	0x17
00101	0x05	11011	0x1B
10010	0x12	01101	0x0D
01001	0x09	00110	0x06
00100	0x04	00011	0x03
00010	0x02	10001	0x11
00001	0x01	11000	0x18
10000	0x10	11100	0x1C
		11110	0x1E




# Replacement Strategy vs. Miss Rate

H&P: Figure 5.4

Size	Associativity					
	2-way		4-way		8-way	
	LRU	Random	LRU	Random	LRU	Random
16KB	5.18%	5.69%	4.67%	5.29%	4.39%	4.96%
64KB	1.88%	2.01%	1.54%	1.66%	1.39%	1.53%
256KB	1.15%	1.17%	1.13%	1.13%	1.12%	1.12%

- FIFO was reported to be worse than random or LRU
- Little difference between random and LRU for larger-size caches

# Valid Bits



## Problem:

Ignoring cache lines that don't contain REAL or CORRECT values...


- on start-up
- "Back door" changes to memory (eg loading program from disk)

## Solution:

Extend each TAG with **VALID bit**.

- Valid bit must be set for cache line to HIT.
- On power-up / reset : clear all valid bits
- Set valid bit when cache line is **FIRST** replaced.
- Cache Control Feature: *Flush cache by clearing all valid bits, Under program/external control.*

# Valid Bits



## Problem:

Ignoring cache lines that don't contain REAL or CORRECT values...

- on start-up
- "Back door" changes to memory (eg loading program from disk)

## Solution:

Extend each TAG with **VALID bit**.

- Valid bit must be set for cache line to HIT.
- On power-up / reset : clear all valid bits
- Set valid bit when cache line is **FIRST** replaced.
- Cache Control Feature: *Flush cache by clearing all valid bits, Under program/external control.*

# Handling WRITES

**Observation: Most (80+%) of memory accesses are READs, but writes are essential. How should we handle writes?**

**Policies:**

**WRITE-THROUGH:** CPU writes are cached, but also written to main memory (stalling the CPU until write is completed). Memory always holds “the truth”.

**WRITE-BACK:** CPU writes are cached, but not immediately written to main memory. Memory contents can become “stale”.

**Additional Enhancements:**

**WRITE-BUFFERS:** For either write-through or write-back, writes to main memory are buffered. CPU keeps executing while writes are completed (in order) in the background.

**What combination has the highest performance?**

# Write-Through

ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X == TAG(i)$  , for some cache line  $i$

READ: return DATA[I]

WRITE: change DATA[I]; **Start Write to Mem[X]**

MISS: X not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

READ: Read Mem[X]

Set  $TAG[k] = X$ ,  $DATA[k] = Mem[X]$

WRITE: **Start Write to Mem[X]**

Set  $TAG[k] = X$ ,  $DATA[k] = new\ Mem[X]$

# Write-Back

ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X = TAG(i)$  , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ ); ~~Start Write to Mem[X]~~

MISS:  $X$  not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

**Write Back: Write Data( $k$ ) to Mem[Tag[ $k$ ]]**

READ: Read Mem[X]

Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X]


WRITE: ~~Start Write to Mem[X]~~

Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]

Costly if contents of cache are not modified



# Write-Back w/ "Dirty" bits



**ON REFERENCE TO Mem[X]: Look for X among tags...**

**HIT:**  $X = TAG(i)$ , for some cache line  $i$

**READ:** return DATA( $i$ )

**WRITE:** change DATA( $i$ ); ~~Start Write to Mem[X]~~  $D[i]=1$

**MISS:**  $X$  not found in TAG of any cache line

**REPLACEMENT SELECTION:**

Select some line  $k$  to hold Mem[X]

If  $D[k] == 1$  (Write Back) Write Data( $k$ ) to Mem[Tag[ $k$ ]]


**READ:** Read Mem[X]; Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X],  $D[k]=0$

**WRITE:** ~~Start Write to Mem[X]~~  $D[k]=1$

Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]

# Write-Back w/ "Dirty" bits

Dirty and Valid bits are per cache line not per set



ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ ); ~~Start Write to Mem[X]~~  $D[i]=1$

MISS: X not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

If  $D[k] == 1$  (Write Back) Write Data( $k$ ) to Mem[Tag[ $k$ ]]

READ: Read Mem[X]; Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X],  $D[k]=0$


WRITE: ~~Start Write to Mem[X]~~  $D[k]=1$

Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]



# Write-Back w/ "Dirty" bits

Dirty and Valid bits are per cache line not per set



What if the cache has a block-size larger than one?

ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ ); ~~Start Write to Mem[X]~~  $D[i]=1$

MISS: X not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

If  $D[k] == 1$  (Write Back) Write Data( $k$ ) to Mem[Tag[ $k$ ]]

READ: Read Mem[X]; Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X],  $D[k]=0$


WRITE: ~~Start Write to Mem[X]~~  $D[k]=1$

Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]



# Write-Back w/ "Dirty" bits

Dirty and Valid bits are per cache line not per set



What if the cache has a block-size larger than one?  
 A) If only one word in the line is modified, we end up writing back ALL words

ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ ); ~~Start Write to Mem[X]~~  $D[i]=1$

MISS: X not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

If  $D[k] == 1$  (Write Back) Write Data( $k$ ) to Mem[Tag[ $k$ ]]

READ: Read Mem[X]; Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X],  $D[k]=0$


WRITE: ~~Start Write to Mem[X]~~  $D[k]=1$

Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]



# Write-Back w/ "Dirty" bits

Dirty and Valid bits are per cache line not per set



What if the cache has a block-size larger than one?  
 A) If only one word in the line is modified, we end up writing back ALL words

ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ ); ~~Start Write to Mem[X]~~  $D[i]=1$

MISS: X not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

If  $D[k] == 1$  (Write Back) Write Data( $k$ ) to Mem[Tag[ $k$ ]]

READ: Read Mem[X]; Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X],  $D[k]=0$

WRITE: ~~Start Write to Mem[X]~~  $D[k]=1$


Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]



B) On a MISS, we need to READ the line BEFORE we WRITE it.

# Write-Back w/ "Dirty" bits

Dirty and Valid bits are per cache line not per set



What if the cache has a block-size larger than one?  
 A) If only one word in the line is modified, we end up writing back ALL words

ON REFERENCE TO Mem[X]: Look for X among tags...

HIT:  $X = TAG(i)$ , for some cache line  $i$

READ: return DATA( $i$ )

WRITE: change DATA( $i$ ); ~~Start Write to Mem[X]~~  $D[i]=1$

MISS: X not found in TAG of any cache line

REPLACEMENT SELECTION:

Select some line  $k$  to hold Mem[X]

If  $D[k] == 1$  (Write Back) Write Data( $k$ ) to Mem[Tag[ $k$ ]]

READ: Read Mem[X]; Set TAG[ $k$ ] = X, DATA[ $k$ ] = Mem[X],  $D[k]=0$

WRITE: ~~Start Write to Mem[X]~~  $D[k]=1$  Read Mem[X]


Set TAG[ $k$ ] = X, DATA[ $k$ ] = new Mem[X]



B) On a MISS, we need to READ the line BEFORE we WRITE it.

# Write Buffers

- Avoids the overhead of waiting for writes to complete
- Write data is stored in a special H/W queue called a **“Write Buffer”** where it is **POSTED** until the write completes
- Usually at least the size of a cache block.
- On a subsequent cache MISSES
  - you may still need to stall any subsequent reads until outstanding (POSTED) writes are completed
  - or you can check to see if the missed address matches one in the write buffer.
- Takes advantage of **“sequential writes”**
- Prevailing wisdom:
  - Write-Back is better than Write-Through, less memory traffic
  - Always use Write-buffering



# Cache Benchmarking

Suppose this loop is entered with  $\$t3 = 4000$ :

<u>ADR:</u>	<u>Instruction</u>	<u>I</u>	<u>D</u>
400:	lw $\$t0, 0(\$t3)$	400	4000+...
404:	addi $\$t3, \$t3, 4$	404	
408:	bne $\$t0, \$0, 400$	408	

**GOAL:** Given some cache design, simulate (by hand or machine) execution well enough to estimate hit ratio.

1. Observe that the sequence of memory locations referenced is

400, 4000, 404, 408, 400, 4004, ...

We can use this simpler reference string/memory trace, rather than the program, to simulate cache behavior.

2. We can make our life even easier by converting to word addresses: 100, 1000, 101, 102, 100, 1001, ...

# Cache Benchmarking

Suppose this loop is entered with  $\$t3 = 4000$ :

<u>ADR:</u>	<u>Instruction</u>	<u>I</u>	<u>D</u>
400:	lw $\$t0, 0(\$t3)$	400	4000+...
404:	addi $\$t3, \$t3, 4$	404	
408:	bne $\$t0, \$0, 400$	408	

**GOAL:** Given some cache design, simulate (by hand or machine) execution well enough to estimate hit ratio.

1. Observe that the sequence of memory locations referenced is

400, 4000, 404, 408, 400, 4004, ...

We can use this simpler reference string/memory trace, rather than the program, to simulate cache behavior.

2. We can make our life even easier by converting to word addresses: 100, 1000, 101, 102, 100, 1001, ...

**(Word Addr = (Byte Addr)/4)**

# Simple Cache Simulation

tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------

## 4-line Fully-associative/LRU

Addr	Line#	Miss?
100	0	M
1000	1	M
101	2	M
102	3	M
100	0	
1001	1	M
101	2	
102	3	
100	0	
1002	1	M
101	2	
102	3	
100	0	
1003	1	M
101	2	
102	3	

## 4-line Direct-mapped

Addr	Line#	Miss?
100	0	M
1000	0	M
101	1	M
102	2	M
100	0	M
1001	1	M
101	1	M
102	2	
100	0	
1002	2	M
101	1	
102	2	M
100	0	
1003	3	M
101	1	
102	2	

tag	data
tag	data
tag	data
tag	data



# Simple Cache Simulation

tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

## 4-line Fully-associative/LRU

## 4-line Direct-mapped

Addr	Line#	Miss?
100	0	M
1000	1	M
101	2	M
102	3	M
100	0	
1001	1	M
101	2	
102	3	
100	0	
1002	1	M
101	2	
102	3	
100	0	
1003	1	M
101	2	
102	3	

Addr	Line#	Miss?
100	0	M
1000	0	M
101	1	M
102	2	M
100	0	M
1001	1	M
101	1	M
102	2	
100	0	
1002	2	M
101	1	
102	2	M
100	0	
1003	3	M
101	1	
102	2	

Compulsory Misses



# Simple Cache Simulation

tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

## 4-line Fully-associative/LRU

## 4-line Direct-mapped

	Addr	Line#	Miss?
Compulsory Misses	100	0	M
	1000	1	M
	101	2	M
	102	3	M
Capacity Miss	100	0	
	1001	1	M
	101	2	
	102	3	
	100	0	
	1002	1	M
	101	2	
	102	3	
	100	0	
	1003	1	M
	101	2	
	102	3	

Addr	Line#	Miss?
100	0	M
1000	0	M
101	1	M
102	2	M
100	0	M
1001	1	M
101	1	M
102	2	
100	0	
1002	2	M
101	1	
102	2	M
100	0	
1003	3	M
101	1	
102	2	

# Simple Cache Simulation

tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

## 4-line Fully-associative/LRU

## 4-line Direct-mapped

	Addr	Line#	Miss?
Compulsory Misses	100	0	M
	1000	1	M
	101	2	M
	102	3	M
Capacity Miss	100	0	
	1001	1	M
	101	2	
	102	3	
	100	0	
	1002	1	M
	101	2	
	102	3	
	100	0	
	1003	1	M
	101	2	
1/4 miss	102	3	

Addr	Line#	Miss?
100	0	M
1000	0	M
101	1	M
102	2	M
100	0	M
1001	1	M
101	1	M
102	2	
100	0	
1002	2	M
101	1	
102	2	M
100	0	
1003	3	M
101	1	
102	2	

# Simple Cache Simulation

tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

## 4-line Fully-associative/LRU

## 4-line Direct-mapped

	Addr	Line#	Miss?
Compulsory Misses	100	0	M
	1000	1	M
	101	2	M
	102	3	M
Capacity Miss	100	0	
	1001	1	M
	101	2	
	102	3	
	100	0	
	1002	1	M
	101	2	
	102	3	
	100	0	
	1003	1	M
	101	2	
	102	3	

	Addr	Line#	Miss?
	100	0	M
	1000	0	M
	101	1	M
	102	2	M
	100	0	M
	1001	1	M
	101	1	M
	102	2	
	100	0	
	1002	2	M
	101	1	
	102	2	M
	100	0	
	1003	3	M
	101	1	
	102	2	

Collision Miss

1/4 miss

# Simple Cache Simulation

tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

## 4-line Fully-associative/LRU

## 4-line Direct-mapped

	Addr	Line#	Miss?
Compulsory Misses	100	0	M
	1000	1	M
	101	2	M
	102	3	M
Capacity Miss	100	0	
	1001	1	M
	101	2	
	102	3	
	100	0	
	1002	1	M
	101	2	
	102	3	
	100	0	
	1003	1	M
	101	2	
	102	3	

	Addr	Line#	Miss?
	100	0	M
	1000	0	M
	101	1	M
	102	2	M
	100	0	M
	1001	1	M
	101	1	M
	102	2	
	100	0	
	1002	2	M
	101	1	
	102	2	M
	100	0	
	1003	3	M
	101	1	
	102	2	

Collision Miss

1/4 miss

7/16 miss

# Cache Simulation: Bout 2

tag	data	tag	data	tag	data	tag	data	tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------	-----	------	-----	------	-----	------	-----	------

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

**8-line Fully-associative, LRU**

Addr	Line#	Miss?
100	0	M
1000	1	M
101	2	M
102	3	M
100	0	
1001	4	M
101	2	
102	3	
100	0	
1002	5	M
101	2	
102	3	
100	0	
1003	6	M
101	2	
102	3	

**2-way, 8-line total, LRU**

Addr	Line/N	Miss?
100	0,0	M
1000	0,1	M
101	1,0	M
102	2,0	M
100	0,0	
1001	1,1	M
101	1,0	
102	2,0	
100	0,0	
1002	2,1	M
101	1,0	
102	2,0	
100	0,0	
1003	3,0	M
101	1,0	
102	2,0	

# Cache Simulation: Bout 2

tag	data	tag	data	tag	data	tag	data	tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------	-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

tag	data
tag	data
tag	data
tag	data

**8-line Fully-associative, LRU**

Addr	Line#	Miss?
100	0	M
1000	1	M
101	2	M
102	3	M
100	0	
1001	4	M
101	2	
102	3	
100	0	
1002	5	M
101	2	
102	3	
100	0	
1003	6	M
101	2	
102	3	

**1/4 miss**

**2-way, 8-line total, LRU**

Addr	Line/N	Miss?
100	0,0	M
1000	0,1	M
101	1,0	M
102	2,0	M
100	0,0	
1001	1,1	M
101	1,0	
102	2,0	
100	0,0	
1002	2,1	M
101	1,0	
102	2,0	
100	0,0	
1003	3,0	M
101	1,0	
102	2,0	

# Cache Simulation: Bout 2

tag	data	tag	data	tag	data	tag	data	tag	data	tag	data	tag	data	tag	data
-----	------	-----	------	-----	------	-----	------	-----	------	-----	------	-----	------	-----	------

tag	data
tag	data
tag	data
tag	data

tag	data
tag	data
tag	data
tag	data

**8-line Fully-associative, LRU**

Addr	Line#	Miss?
100	0	M
1000	1	M
101	2	M
102	3	M
100	0	
1001	4	M
101	2	
102	3	
100	0	
1002	5	M
101	2	
102	3	
100	0	
1003	6	M
101	2	
102	3	

**1/4 miss**

**2-way, 8-line total, LRU**

Addr	Line/N	Miss?
100	0,0	M
1000	0,1	M
101	1,0	M
102	2,0	M
100	0,0	
1001	1,1	M
101	1,0	
102	2,0	
100	0,0	
1002	2,1	M
101	1,0	
102	2,0	
100	0,0	
1003	3,0	M
101	1,0	
102	2,0	

**1/4 miss**



# Cache Simulation: Bout 3

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

2-way, 8-line total, LRU

Addr	Line/N	Miss?
100	0,0	
1004	0,1	M
101	1,0	
102	2,0	
100	0,0	
1005	1,1	M
101	1,0	
102	2,0	
100	0,0	
1006	2,1	M
101	1,0	
102	2,0	
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

2-way, 8-line total, FIFO

Addr	Line/N	Miss?
100	0,0	
1004	0,0	M
101	1,0	
102	2,0	
100	0,1	M
1005	1,0	M
101	1,1	M
102	2,0	
100	0,0	
1006	2,0	M
101	1,0	
102	2,1	M
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

# Cache Simulation: Bout 3

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

2-way, 8-line total, LRU

Addr	Line/N	Miss?
100	0,0	
1004	0,1	M
101	1,0	
102	2,0	
100	0,0	
1005	1,1	M
101	1,0	
102	2,0	
100	0,0	
1006	2,1	M
101	1,0	
102	2,0	
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

2-way, 8-line total, FIFO

Addr	Line/N	Miss?
100	0,0	
1004	0,0	M
101	1,0	
102	2,0	
100	0,1	M
1005	1,0	M
101	1,1	M
102	2,0	
100	0,0	
1006	2,0	M
101	1,0	
102	2,1	M
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

The first 16 cycles of both caches are identical (Same as 2-way on previous slide). So we jump to round 2.



# Cache Simulation: Bout 3

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

2-way, 8-line total, LRU

Addr	Line/N	Miss?
100	0,0	
1004	0,1	M
101	1,0	
102	2,0	
100	0,0	
1005	1,1	M
101	1,0	
102	2,0	
100	0,0	
1006	2,1	M
101	1,0	
102	2,0	
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

2-way, 8-line total, FIFO

Addr	Line/N	Miss?
100	0,0	
1004	0,0	M
101	1,0	
102	2,0	
100	0,1	M
1005	1,0	M
101	1,1	M
102	2,0	
100	0,0	
1006	2,0	M
101	1,0	
102	2,1	M
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

The first 16 cycles of both caches are identical (Same as 2-way on previous slide). So we jump to round 2.



1/4 miss

# Cache Simulation: Bout 3

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

2-way, 8-line total, LRU

Addr	Line/N	Miss?
100	0,0	
1004	0,1	M
101	1,0	
102	2,0	
100	0,0	
1005	1,1	M
101	1,0	
102	2,0	
100	0,0	
1006	2,1	M
101	1,0	
102	2,0	
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

2-way, 8-line total, FIFO

Addr	Line/N	Miss?
100	0,0	
1004	0,0	M
101	1,0	
102	2,0	
100	0,1	M
1005	1,0	M
101	1,1	M
102	2,0	
100	0,0	
1006	2,0	M
101	1,0	
102	2,1	M
100	0,0	
1007	3,1	M
101	1,0	
102	2,0	

The first 16 cycles of both caches are identical (Same as 2-way on previous slide). So we jump to round 2.



1/4 miss

7/16 miss

# Cache Simulation: Bout 4

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

tag	data	data	tag	data	data
tag	data	data	tag	data	data

2-way, 8-line total, LRU

Addr	Line/N	Miss?
100	0,0	M
1000	0,1	M
101	1,0	M
102	2,0	M
100	0,0	
1001	1,1	M
101	1,0	
102	2,0	
100	0,0	
1002	2,1	M
101	1,0	
102	2,0	
100	0,0	
1003	3,0	M
101	1,0	
102	2,0	

1/4 miss

2-way, 4-line, 2 word blk, LRU

Addr	Line/N	Miss?
100/1	0,0	M
1000/1	0,1	M
101	0,0	
102/3	1,0	M
100	0,0	
1001	0,1	
101	0,0	
102	1,0	
100	0,0	
1002/3	1,1	M
101	0,0	
102	1,0	
100	0,0	
1003	1,1	
101	0,0	
102	1,0	

# Cache Simulation: Bout 4

tag	data	tag	data
tag	data	tag	data
tag	data	tag	data
tag	data	tag	data

tag	data	data	tag	data	data
tag	data	data	tag	data	data

2-way, 8-line total, LRU

Addr	Line/N	Miss?
100	0,0	M
1000	0,1	M
101	1,0	M
102	2,0	M
100	0,0	
1001	1,1	M
101	1,0	
102	2,0	
100	0,0	
1002	2,1	M
101	1,0	
102	2,0	
100	0,0	
1003	3,0	M
101	1,0	
102	2,0	

1/4 miss

2-way, 4-line, 2 word blk, LRU

Addr	Line/N	Miss?
100/1	0,0	M
1000/1	0,1	M
101	0,0	
102/3	1,0	M
100	0,0	
1001	0,1	
101	0,0	
102	1,0	
100	0,0	
1002/3	1,1	M
101	0,0	
102	1,0	
100	0,0	
1003	1,1	
101	0,0	
102	1,0	

1/8 miss

# Cache Design Summary

- **Various design decisions that affect cache performance**
  - **Block size, exploits spatial locality, saves tag H/W, but, if blocks are too large you can load unneeded items at the expense of needed ones**
  - **Replacement strategy, attempts to exploit temporal locality to keep frequently referenced items in cache**
    - **LRU – Best performance/Highest cost**
    - **FIFO – Low performance/Economical**
    - **RANDOM – Medium performance/Lowest cost, avoids pathological sequences, but performance can vary**
  - **Write policies**
    - **Write-through – Keeps memory and cache consistent, but high memory traffic**
    - **Write-back – allows memory to become STALE, but reduces memory traffic**
    - **Write-buffer – queue that allows processor to continue while waiting for writes to finish, reduces stalls**
- **No simple answers, in the real-world cache designs are based on simulations using memory traces.**