



The Art and Science of (small) Memory Allocation

Don Porter




Lecture goal

- This lecture is about allocating small objects
 - Less than one page in size (<4KB)
 - Past lectures have focused on allocating physical pages or segments
- Understand how memory allocators work
- Understand trade-offs and current best practices



Big Picture

Virtual Address Space



```
int main () {  
    struct foo *x = malloc(sizeof(struct foo));  
    ...  
}
```

```
void * malloc (ssize_t n) {  
    if (heap empty)  
        mmap(); // add pages to heap  
    find a free block of size n;  
}
```

Key idea: Sub-divide a page for each malloc() call



Today's Lecture

- How to implement **malloc()** or **new**
 - Note that **new** is essentially malloc + constructor
 - **malloc()** is part of libc, and executes in the application
- **malloc()** gets pages of memory from the OS via **mmap()** and then sub-divides them for the application
- A brief history of Linux-internal kmalloc implementations



Bump allocator



- malloc (6)
- malloc (12)
- malloc(20)
- malloc (5)



Bump allocator

- Simply “bumps” up the free pointer
- How does `free()` work? It doesn't
 - Well, you could try to recycle cells if you wanted, but complicated bookkeeping
- Controversial observation: This is ideal for simple programs
 - You only care about `free()` if you need the memory for something else



Assume memory is limited

- Hoard: best-of-breed concurrent allocator
 - User applications
 - Seminal paper
- Your lab 2 is a simplified version of Hoard
 - No concurrency, no large ($>2K$) objects, no realloc etc.
- There are other good designs out there
 - jemalloc
 - supermalloc



Overarching issues

- Fragmentation
- Allocation and free latency
- Implementation complexity



Fragmentation

- Review: What is it? Why does it happen?
- What is
 - Internal fragmentation?
 - Wasted space when you round an allocation up
 - External fragmentation?
 - When you end up with small chunks of free memory that are too small to be useful
- Which kind does our bump allocator have?



Hoard: Superblocks

- At a high level, allocator operates on superblocks
 - Chunk of (virtually) contiguous pages
 - All objects in a superblock are the same size
- A given superblock is treated as an array of same-sized objects
 - They generalize to “powers of $b > 1$ ”;
 - In usual practice, $b == 2$




Superblock intuition

512 byte
object heap

Free list in
LIFO order

Store list pointers
in free objects!





Superblock Intuition

```
malloc (8) ;
```




- 1) Find the nearest power of 2 heap (8)
- 2) Find free object in superblock
- 3) Add a superblock if needed. Goto 2.



512 byte
object heap

malloc (400)

Pick first free
object





Superblock example


- Suppose my program allocates objects of sizes:
 - 14, 15, 17, 34, and 40 bytes.
- How many superblocks do I need (if $b == 2$)?
 - 3 – (16, 32, and 64 byte chunks)
- If I allocate a 15 byte object from an 16 byte superblock, doesn't that yield internal fragmentation?
 - Yes, but it is **bounded to < 50%**
 - Give up some space to bound worst case and complexity



High-level strategy

- Allocate a heap for each processor, and one shared heap
 - Note: not threads, but CPUs
 - Can only use as many heaps as CPUs at once
 - Requires some way to figure out current processor
- Try per-CPU heap first
- If no free blocks of right size, then try global heap
 - Why try this first?
- If that fails, get another superblock for per-CPU heap

Example: malloc() on CPU 0





Big objects

- If an object size is bigger than half the size of a superblock, just `mmap()` it
 - Recall, a superblock is on the order of pages already
- What about fragmentation?
 - Example: 4097 byte object (1 page + 1 byte)
 - Argument: More trouble than it is worth
 - Extra bookkeeping, potential contention, and potential bad cache behavior



Memory free

- Simply put back on free list within its superblock
- How do you tell which superblock an object is from?
 - Suppose superblock is 8k (2pages)
 - And always mapped at an address evenly divisible by 8k
 - Object at address 0x431a01c
 - Just mask out the low 13 bits!
 - Came from a superblock that starts at 0x431a000
- Simple math can tell you where an object came from!



LIFO


- Why are objects re-allocated most-recently used first?
 - Aren't all good OS heuristics FIFO?
 - More likely to be already in cache (hot)
 - Recall from undergrad architecture that it takes quite a few cycles to load data into cache from memory
 - If it is all the same, let's try to recycle the object already in our cache



Hoard Simplicity

- The bookkeeping for alloc and free is straightforward
 - Many allocators are quite complex (looking at you, slab)
- Overall: (# CPUs + 1) heaps
 - Per heap: 1 list of superblocks per object size (2^2 — 2^{11})
 - Per superblock:
 - Need to know which/how many objects are free
 - LIFO list of free blocks

CPU 0 Heap, Illustrated



One of these per CPU (and one shared)



Hoard summary

- Really nice piece of work
- Establishes nice balance among concerns
- Good performance results
 - It is ok if you don't understand synchronization and alignment issues



Part 2: Linux kernel allocators

- malloc() and friends, but in the kernel
- Focus today on dynamic allocation of small objects
 - Later class on management of physical pages
 - And allocation of page ranges to allocators



kmem_caches

- Linux has a kmalloc and kfree, but caches preferred for common object types
- Like Hoard, a given cache allocates a specific type of object
 - Ex: a cache for file descriptors, a cache for inodes, etc.
- Unlike Hoard, objects of the same size not mixed
 - Allocator can do initialization automatically
 - May also need to constrain where memory comes from



Caches (2)

- Caches can also keep a certain “reserve” capacity
 - No guarantees, but allows performance tuning
 - Example: I know I’ll have ~100 list nodes frequently allocated and freed; target the cache capacity at 120 elements to avoid expensive page allocation
 - Often called a **memory pool**
- Universal interface: can change allocator underneath
- Kernel has `kmalloc` and `kfree` too
 - Implemented on caches of various powers of 2 (familiar?)



Superblocks to slabs

- The default cache allocator (at least as of early 2.6) was the slab allocator
- Slab is a chunk of contiguous pages, similar to a superblock in Hoard
- Similar basic ideas, but substantially more complex bookkeeping
 - The slab allocator came first, historically



Complexity backlash

- I'll spare you the details, but slab bookkeeping is complicated
- 2 groups upset: (guesses who?)
 - Users of very small systems
 - Users of large multi-processor systems



Small systems

- Think 4MB of RAM on a small device (thermostat)
- As system memory gets tiny, the bookkeeping overheads become a large percent of total system memory
- How bad is fragmentation really going to be?
 - Note: not sure this has been carefully studied; may just be intuition



SLOB allocator

- Simple List Of Blocks
- Just keep a free list of each available chunk and its size
- Grab the first one big enough to work
 - Split block if leftover bytes
- No internal fragmentation, obviously
- External fragmentation? Yes. Traded for low overheads



Large systems

- For very large (thousands of CPU) systems, complex allocator bookkeeping gets out of hand
- Example: slabs try to migrate objects from one CPU to another to avoid synchronization
 - Per-CPU * Per-CPU bookkeeping



SLUB Allocator

- The Unqueued Slab Allocator
- A much more Hoard-like design
 - All objects of same size from same slab
 - Simple free list per slab
 - No cross-CPU nonsense
- Now the default Linux cache allocator



Conclusion

- Different allocation strategies have different trade-offs
 - No one, perfect solution
- Allocators try to optimize for multiple variables:
 - Fragmentation, speed, simplicity, etc.
- Understand tradeoffs: Hoard vs Slab vs. SLOB



Misc notes

- When is a superblock considered free and eligible to be move to the global bucket?
 - See figure 2, free(), line 9
 - Essentially a configurable “empty fraction”
- Is a "used block" count stored somewhere?
 - Not clear, but probably